

LIST OF EXHIBITS

- | | |
|-----------|---|
| EXHIBIT 1 | PIVIA'S PERFORMANCE SERVER (INCLUDING THE EXPRESS LOADER) AS DOWNLOADED FROM PRIVIA'S WEB SITE |
| EXHIBIT 2 | BED BATH AND BEYOND HOME PAGE HTML SOURCE CODE |
| EXHIBIT 3 | A SCREEN SHOT OF A PORTION OF A BROWSER'S CACHE AFTER ACCESSING BED BATH AND BEYOND HOME PAGE |
| EXHIBIT 4 | AN EXEMPLARY RIGID COMPARISON OF CLAIM 1 TO BED BATH AND BEYOND'S HOME PAGE USING PIVIA'S EXPRESS LOADER |
| EXHIBIT 5 | A LIST OF PIVIA'S CUSTOMERS AS ADVERTISED ON PIVIA'S WEB SITE ON 11-19-04; PIVIA'S WEB PAGE CATEGORIZING ITS OWN CUSTOMERS; AND ARTICLES BY OR REGARDING PIVIA'S CUSTOMERS INDICATING THE USE OF PIVIA'S EXPRESS LOADER BY AT LEAST THESE CUSTOMERS |
| EXHIBIT 6 | SWANLAB'S PRESS RELEASE ON DECEMBER 6, 2004 ANNOUNCING ITS ACQUISITION OF PIVIA |

BEST AVAILABLE COPY




NEWS MAIN PAGE

■ PRESS RELEASES

IN THE NEWS

EVENTS

Get more information!



CLICK HERE

SUPPORT • CONTACT US • BLOG

WEB APPLICATION OPTIMIZATION SOLUTIONS

PRODUCTS SOLUTIONS CUSTOMERS NEWS PARTNERS COMPANY

NEWS

PRESS RELEASES

FOR IMMEDIATE RELEASE

PIVIA SOLVES ENTERPRISE WEB APPLICATION PERFORMANCE CHALLENGE WITH NEW PERFORMANCE SERVER

Comprehensive software attacks numerous performance problems simultaneously

CUPERTINO, Calif., (March 10, 2003) - Pivia, Inc., the leading provider of Web application acceleration software, introduced its new Pivia Performance Server™. This new software, which includes innovative "Express" technologies, solves the complex problem of web application performance. The new Performance Server is a comprehensive Web acceleration solution that increases performance 10 times or more, requires no enterprise application changes or re-architecting of the Web infrastructure, and is installed in a few hours.

"Enterprise applications suffer from a broad range of Web performance problems. Pivia's approach analyzes the performance bottlenecks and applies the most appropriate performance-enhancing technologies," said Neil Selvin, Chairman and CEO of Pivia, Inc. "Unlike point products that only address an individual performance problem, Pivia provides a comprehensive approach that eliminates the guesswork and applies its technologies simultaneously to improve page download performance 10 times or more," said Selvin.

"In the rush to Web-enable every application under the enterprise sun, performance, usability and maintainability have been the sacrificial lambs," said Matthew Berk, Senior Analyst at Jupiter Research. "Most companies' internal Web applications are in disarray. Organizations must first attack poor performance and look for minimally invasive approaches that require as little application modification as possible," Berk concluded.

Enterprise Web application deployments are plagued with poor performance
Performance problems compound exponentially as the number of users accessing web applications from remote offices or over low bandwidth connections increases. Common problems affecting the performance of Web-enabled enterprise applications include:

- **First mile problems:** such as infrastructure server bottlenecks, obsolete architectures and high overhead for simple operations,
- **Mid-mile problems:** such as network latency, network congestion and high volume of round-trip page requests,
- **Last mile problems:** such as low bandwidth connections, high latency connections and non-optimized page design.

The Pivia Performance Server solves first, mid, and last mile performance issues

Pivia takes a different approach to solving application performance problems by looking at the entire picture. The Performance Server integrates several innovative "Express" technologies that work together to solve numerous application performance problems.

Express Compress™ compresses Web pages without introducing incremental latency resulting in improved response times and reduced bandwidth utilization of 5 - 10x.

Express Loader™ eliminates the vast majority of upstream content freshness checks so that page load times and network traffic are dramatically reduced.

Express Connect™ makes efficient usage of the network by dividing the tasks of requesting and receiving objects across more simultaneous connections.

Dynamic Application Cache™ reproduces dynamic application behavior to improve performance, increase server capacity and enhance the economics of the application infrastructure.

The Pivia Performance Server includes additional features designed specifically for the enterprise environment, including support for:

- SSL tunneled or terminated with optional re-encryption back to the origin server
- Out-of-the-box support for NTLM authentication
- Authentication Plug-in Architecture for integration with other third-party authentication modules
- Proxy chaining for applications that have objects distributed across many servers

In addition, a new streamlined installation configures the Performance Server and creates basic policies so that companies can reap performance improvements within minutes.

Pivia Performance Server Improves the ROI of Web-enabled applications

The cost of slow web-enabled applications is staggering. When application performance is poor, users resist using the application, productivity is lost, internal support costs rise and the company's competitive edge is threatened. By increasing the performance of Web-enabled applications, usage and satisfaction increase, and the company improves the ROI of its initial investment.

For example, for just one application such as an employee portal accessed 10 times a day, the productivity cost of waiting 20 seconds per request can be over \$340,000 per year per thousand employees. The Pivia Performance Server can decrease the page download time 75% to 5 seconds, saving \$260,000 per year*. Multiplying this by the number of applications used throughout an enterprise can produce an enormous benefit to the company.

About Pivia

Pivia, Inc., headquartered in Cupertino, California, provides software that accelerates the performance, and improves the effectiveness, of companies' Web-enabled applications. Pivia's software integrates a broad array of performance-enhancing technologies to solve content generation delays, first and last mile performance issues, and constrained bandwidth problems, while lowering the cost of Web operations and minimizing implementation time. Pivia has received funding from Sutter Hill Ventures, Thomas Weisel Venture Partners, Draper Richards and Argus Capital. For more information, visit Pivia's website at www.pivia.com or call 408-517-3333.

###

Pivia, the Pivia logo, Express Loader, Express Compress, Express Connect, Dynamic Application Cache, and Pivia Performance Server are trademarks of Pivia, Inc. All other trademarks are the property of their respective owner.

*ROI calculation based on the following data: Working hours in a day: 8. Fully burdened employee cost: \$50K. 'Without Pivia' Calculation: 20 seconds * 10 pages * 1000 users = 200,000 seconds = 55.6 hours per day/ 8 hours per day * \$50k = \$347,000 productivity cost per year. 'With Pivia' Calculation: 15 seconds saved per page * 10 pages * 1000 users = 150,000 seconds = 41.6 hours saved per day/8 hours per day * \$50K = \$260,000 productivity saved/year.



SUPPORT • CONTACT US • BLOG

WEB APPLICATION OPTIMIZATION SOLUTIONS

PRODUCTS SOLUTIONS CUSTOMERS NEWS PARTNERS COMPANY

COMPANY

■ ABOUT PIVIA

MANAGEMENT TEAM

BOARD OF DIRECTORS


INVESTORS

HISTORY

CORE VALUES

CAREERS

Get more information!



CLICK HERE

ABOUT PIVIA

Pivia's mission is to solve the dilemma between the need for improved Web application performance and the budget and technical realities of any production environment. Pivia gives businesses the flexibility to realize the complete potential of their web applications without resorting to expensive infrastructure changes or implementing a patchwork of point solutions. Pivia's software improves performance for users resulting in increased page views, reduced session time, and greater satisfaction while reducing operating costs!

Pivia's Web application acceleration solutions require NO changes to your design or architecture and NO additional programming so that you can leverage the full capabilities of your Web application in minutes or hours, not weeks or months!

Pivia's technical team has developed patented and patent-pending technologies in the areas of proxying, parsing and page compilation and assembly. As a result, our powerful software-based architecture solves a very real dilemma between demanding users and constrained IT budgets.

Founded in 1999, Pivia is headquartered in Cupertino, California. Pivia's enterprise software improves the effectiveness and profitability of customers' Web channel by unleashing the potential of the site and providing performance improvements within hours of installation. The company is privately held and backed by leading IT venture capital firms. Pivia is led by an experienced management team and possesses a solid engineering organization with over 100 years of experience in solving complex enterprise software problems. Team members have held leadership roles in premier technology firms including AOL/Netcape, Apple Computer, Disney, Global Village, Hewlett-Packard, JVC, Keynote Systems, Silicon Graphics and Xerox PARC.



WEB APPLICATION OPTIMIZATION SOLUTIONS

SUPPORT • CONTACT US • BLOG

PRODUCTS SOLUTIONS CUSTOMERS NEWS PARTNERS COMPANY


PRODUCTS

■ PERFORMANCE SERVER

PERFORMANCE SERVER
REMOTE EDITION

PERFORMANCE SERVER
PLUMTREE EDITION

Get more information!



CLICK HERE

PIVIA PERFORMANCE SERVER

Today, enterprise web applications (CRM, SFA, E-commerce, etc.) are being deployed with greater frequency. Thanks to advances in connectivity such as T1, satellite, DSL, and broadband usage has exploded beyond corporate main offices to include remote locations, customers, partners, and suppliers. Unfortunately, this has put a huge strain on the enterprise infrastructure, creating all-new server and network bottlenecks. The result is reduced end user performance, limited application adoption, and the loss of any potential benefits the web software could offer.

The Pivia Performance Server (PPS) changes all that.

Unparalleled Web application performance for LAN, WAN, and Internet users

PPS is a comprehensive software solution that improves the performance and reduces the costs of Web-enabled applications without any code changes. Highly optimized and scalable, the server seamlessly analyzes and intelligently processes web user requests and application responses. This enables enterprise web applications to generate pages and content (application generation), and deliver those pages to users (application delivery), faster and more efficiently than ever before.

Pivia's "Application Smart" Technologies

The PPS delivers next-generation application improvements by implementing "application smart" optimizations. Contrary to other solutions that focus on improving the performance of individual objects or individual connections, Pivia takes an application centric approach to optimization. Pivia optimizes the end-to-end user experience measured by how quickly full pages and documents are downloaded and rendered by a browser. Pivia's application smart technologies work by reducing the number of network round trips, parallelizing network requests, and utilizing browser and edge caches for static and dynamic content.

The PPS goes further than other optimization solutions to cache static content - that expires at a pre-defined time, and dynamic content - that is updated based on application or user events. Collaboration areas, intranet portals or pages with inventory or pricing information in e-commerce sites are good examples of dynamic content. When such content changes, Pivia invalidates only the portion of its cache affected by the change, therefore always delivering accurate content. By serving requests for static and dynamic content without involving the origin web application, Pivia's "application smart" caching increases application performance and scalability as well as application availability in case of unanticipated outages.

The PPS also implements "application smart" techniques for optimizing application delivery. For example, the PPS will embed object versioning information into page responses, thereby eliminating the majority of network traffic related to content freshness checks on these objects. This results in an improved user experience and decreased network bandwidth usage.

Benefits

Increased application adoption

- Enterprise application users endorse the application instead of resorting to traditional methods (phone, fax, etc.)


- E-commerce customers increase both their spending levels and frequency

Reduced infrastructure costs

- No need for expensive upgrades to hardware, applications, application servers and/or database software
- Eliminates expensive network capacity and network equipment upgrades

Increased user satisfaction and productivity

- End users accomplish tasks faster and with less frustration
- Reduced inquiries to the service call center



Centralized deployment without application changes

PPS is transparently installed in front of an application with no changes to the infrastructure or the user's environment. The result is much lower web operation costs and a higher return on investment. Specifically:

No changes to applications

- PPS does not require any application rewriting, tagging, or other changes to application source code.

No changes to the computing and network infrastructure

- PPS is optimized for heterogeneous environments containing varied combinations of applications, application servers, load balancers, routers, firewalls, third-party security and monitoring tools.

No changes to users environment


- PPS does not require JavaScript, Java, cookies, or any additional changes to the user environment, making it an ideal solution for deploying to extranets or a large number of users.

Application Generation Features

Benefits

Application Smart Caching Assembles dynamic and personalized pages in the performance server; returns these pages and objects without involving the rest of the site	Reduces database, application, and server load and latency Improves user performance Delivers application presence during unscheduled downtime
SSL Optimizer Offloads SSL processing to the Performance Server	Increases server scalability Accelerates high value transactions Supports multiple termination points as well as tunneling
Connection Optimizer Reduces the number of user connections to the origin application	Reduces load on the servers Enables supports for large number of concurrent users Protects servers from denial of service attacks
Static Caching Returns un-expired static objects and pages directly from cache	Reduces load on the web servers Increases server throughput Leverages existing edge and browser caches
Application Delivery Features	Benefits
Express Loader Stages content elements closer to users in browser or Enterprise Content Delivery Network (ECDN) caches	Reduces network and protocol delays Eliminates unnecessary upstream requests for objects Ensures propagation of valid content
Express Connect Allows requests from the browser and its responses to be processed in parallel instead of serially	Makes efficient use of network bandwidth Optimizes high bandwidth/high latency connection usage Reduces application latency and wait times
Express Compress Compresses response objects without introducing incremental latency	Significantly improves page download times Accelerates static and dynamic pages Reduces bandwidth utilization and costs
Express Documents Optimizes document viewing (PDF, PowerPoint, Word, etc.)	Fast viewing of large PDF files Reduces bandwidth consumption "Near instantaneous" load on unchanged documents
Express Pages Avoid downloads of unchanged dynamic or personalized pages	Fast viewing of unchanged pages Avoids unnecessary page downloads Significantly speeds up browsing through a corporate portal
Administration and Deployment Features	Benefits
Flexible deployment configurations Works with a wide-variety of web application and infrastructure environments	Simplified deployment

- Centralized administration**
Single point of administration for multiple or clustered performance server
- Browser-based Administration**
Graphical and browser based interface to configure and monitor Performance Server
- Reduced cost of ownership**
Protects investment against computing environment changes
- Reduced administrative cost**
Simple configuration upgrades across many performance servers
- Reduced learning costs**
Accessible from anywhere
- No user deployment costs**



Get more information!
[CLICK HERE](#)

[TOP ▲](#)

Copyright © 2004, Pivia. All Rights Reserved.

[Products](#) | [Solutions](#) | [Customers](#) | [News](#) | [Partners](#) | [Company](#) | [Support](#) | [Contact Us](#)



SUPPORT • CONTACT US • BLOG

WEB APPLICATION OPTIMIZATION SOLUTIONS

PRODUCTS SOLUTIONS CUSTOMERS NEWS PARTNERS COMPANY


PRODUCTS

PERFORMANCE SERVER

■ PERFORMANCE SERVER
REMOTE EDITION

PERFORMANCE SERVER
PLUMTREE EDITION

Get more information!



CLICK HERE

PIVIA PERFORMANCE SERVER REMOTE EDITION

Enterprise web users are accustomed to fast applications when working onsite at a company's headquarters or main offices. Yet, when accessing the same applications from remote sites, performance is often less than ideal. A company's offshore office is a typical case. Such offices utilize low bandwidth or high latency connections, and this seriously affects application speed and response times. Bandwidth bottlenecks, although easy to fix, require expensive network upgrades. Latency bottlenecks, caused by the distance between the data center and remote offices, are more difficult to remedy. In fact, it is not uncommon to see remote offices make investments in bandwidth (T1 or satellite) and still suffer from performance problems due to network latency.

Today, thanks to the Pivia Performance Server Remote Edition (PPS Remote), remote users no longer have to compromise. And neither does the enterprise.

Achieve the ultimate in Web application performance for remote office users

Installed in a company's remote offices, the PPS Remote is a highly optimized and scalable server that analyzes and intelligently processes user requests and application responses as they transit between itself and a Pivia Performance Server in the main data center. The result? A dramatically improved remote user experience thanks to accelerated performance and optimized application traffic flow.

Pivia's "Application Smart" Technologies

The PPS Remote delivers next-generation application improvements by implementing "application smart" optimizations. Contrary to other solutions that focus on improving the performance of individual objects or individual connections, Pivia takes an application centric approach to optimization. Pivia optimizes the end-to-end user experience measured by how quickly full pages and documents are downloaded and rendered by a browser. Pivia's application smart technologies work by reducing the number of network round trips, parallelizing network requests, and utilizing browser and edge caches for static and dynamic content. All without sacrificing accuracy and access control!

For example, the PPS Remote will first check in its local cache for pages and documents requested by users. If there is a match, the PPS might serve the object from cache after confirming that the object is still valid and that the user is indeed authorized to access that object. To further increase cache hit rates and reduce the number of back-and-forth interactions between the PPS and the PPS Remote, the Pivia solution applies a number of "application smart" techniques such as embedding object versioning information into page responses, thereby eliminating the majority of such content freshness checks.

Benefits

Increased application adoption and user satisfaction

- Enterprise application users endorse the application instead of resorting to traditional methods (phone, fax, etc.)
- Users are able to perform tasks faster and with less frustration

Reduced Infrastructure costs


- Diminish need for distributed file systems

- Avoid network equipment upgrade and incremental monthly network bandwidth costs

Reduced burden on IT group

- Reduce complexity of document distribution computing infrastructure
- Meet service level agreement for users on the WAN

Performance Download Time Comparisons



Transparent Installation

PPS Remote works as a "plug and play" add-on to the PPS housed in the data center. It is easy to install and does not require any special configuration or administration. Specifically:

No changes to applications:


- Does not require any application rewriting, tagging, or other changes to application source code.

No changes to the computing and network infrastructure

- PPS Remote is designed to seamlessly operate in different heterogeneous environments with varied combinations of applications, application servers, load balancers, routers, firewalls, third-party security and monitoring tools.

No changes to user environments

- PPS Remote does not require JavaScript, Java, cookies, or other changes to the user environment.



The PPS Remote is installed in remote offices to provide LAN-like performance

Features	Benefits
Optimized Pivia-Pivia Communication	Reduce total bytes required to transfer web application pages, objects, and documents
"Application Smart" Caching	Distribute application objects to edge or browser caches without changes to the underlying application
Transparent authentication authorization	Content served from the remote server remains under the tight control of the application
Guaranteed document and page accuracy	Document accuracy is never compromised when served by browser or edge caches
TCP Connection Optimization	Reduce WAN traffic contention by sharing connections between users
Express Documents	Each document type is optimized individually for maximal performance
Performance Monitoring UI	Real time analysis of PPS behavior
Out-of-the-box solution	Simple deployment in remote offices and low total cost of ownership



Get more information!
CLICK HERE

TOP ▲


```
<!--HTTP_USER_AGENT:Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
FunWebProducts)<br>-->
```

```
<script language="Javascript">
```

```
<!--
```

```
function init()
```

```
{
```

```
    ;
```

```
}
```

```
function onOpen()
```

```
{
```

```
    if ( window.focus )
```

```
        window.focus();
```

```
}
```

```
var windowpic = null;
```

```
var windowpic2 = null;
```

```
function GetCookie( name )
```

```
{
```

```
    var arg = name + "=";
```

```
    var alen = arg.length;
```

```
    var clen = document.cookie.length;
```

```
    var i = 0;
```

```
    while (i < clen)
```

```
    {
```

```
        var j = i + alen;
```

```
        if ( document.cookie.substring( i, j ) == arg )
```

```
            return getCookieVal ( j );
```

```
        i = document.cookie.indexOf( " ", i ) + 1;
```

```
        if ( i == 0 )
```

```
            break;
```

```
    }
```

```
    return null;
```

```
}
```

```
function getCookieVal( offset )
```

```
{
```

```
    var endstr = document.cookie.indexOf ( ";", offset );
```

```
    if ( endstr == -1 )
```

```
        endstr = document.cookie.length;
```

```
    return unescape( document.cookie.substring( offset, endstr ) );
```

```
}
```

```
function getURLArgs()
```

```
{
```

```
    var url;
```

```
    var bFoundOrder = false;
```

```

var parts = new Array();
var sArgs = "?";
url = document.location.href;
parts = url.split( "?" );

var query = new Array();
var param = new Array();
var order_num, i;

if ( parts.length > 1 )
{
    query = parts[1].split( "&" );
    i = 0;
    while( i < query.length )
    {
        param = query[i].split( "=" );
        if ( param[0] == "order_num" )
        {
            sArgs += "order_num=" + param[1] + "&";
            bFoundOrder = true;
        }
        if ( param[0] == "BRN" )
            sArgs += "BRN=" + param[1] + "&";
        if ( param[0] == "WRN" )
            sArgs += "WRN=" + param[1] + "&";
        if ( param[0] == "MC" )
            sArgs += "MC=" + param[1] + "&";
        i++;
    }
    if ( !bFoundOrder )
        sArgs += "order_num=-1&";
}
else
    sArgs = "?order_num=-1&";

return sArgs;
}

function go()
{
    var sSearchText = document.search_prod.search.value;

    var BTSmodeArgs = "";
    if ( document.search_prod.section.value == '3' )
        BTSmodeArgs = "BTSmode=true&";

    while ( sSearchText.substring( 0, 1 ) == ' ' )
        sSearchText = sSearchText.substring( 1 );

    while ( sSearchText.substring( sSearchText.length-1,
sSearchText.length ) == ' ' )
        sSearchText = sSearchText.substring( 0, sSearchText.length-
1 );

    document.search_prod.search.value = sSearchText
    var len = sSearchText.length;
    var strOut = "";

```

```

var i = 0;
var j = 0;
while (i < len)
{
    j = sSearchText.indexOf( " ",i );
    if (j > i)
    {
        strOut += sSearchText.substring( i, j ) + "+";
        i = j + 1;
    }
    else
    {
        strOut += sSearchText.substring( i, len );
        i = len;
    }
}

window.location =
"searchSKU.asp"+getURLArgs()+"SSTR="+strOut+"&"+BTSmodeArgs;

return false;
}
//-->
</script>

<html>
<head>
<meta name="description" content="Bed, Bath and Beyond">
<meta name="keywords" content="Bed, Bath and Beyond, Housewares, home
decor, bedding, kitchen, bath, dining, electrics, storage, cleaning">
<title>Bed Bath & Beyond Fall into Autumn</title>
<meta http-equiv="Content-Type" content="text/html; charset=iso-8859-
1">

<script language="Javascript">
<!--
// JavaScript Written at R/GA Interactive

// hide dropdowns menu for first and second item on dhtml menu
var selectArr = new Array(); // stores id numbers of menu items that
hide the 2nd select
var selCount = 0; // counts number of menu items that hide the 2nd
select

var nav1 = 10; //Bedding;      rtmenuIDs[1]=10; name of 1st nav, 1st
select hidden if rolled over
var nav2 = 1; //Gifts      ;rtmenuIDs[0]=1;   name of 2nd nav, 1st select
hidden if rolled over
//var nav3 = 11; // Solids; smallMenuLine(11,2,2,16,"Solids"); Second
level first line, select hidden if rolled over

var    n;
var    lit = -1;
var    imglit = "";
var    allloaded = false;
if (document.images) {
    //arrow images

```

```

        var theArrow = new Image();
        var theArrow_on = new Image();

        theArrow_on.src = "/img/arrow.gif";
        theArrow.src = "/img/arrow_on.gif";

        allloaded = true;
    }

    function clearLit(ltab) {
        if (allloaded) {
            if ((lit != -1) && (lit != ltab)) {
                document [imglit].src = tNavOff[lit].src;
            }
        }
        lit = -1;
    }

    function showArrow(arrName, on) {
        if (allloaded) {
            //arrow function
            if (on) {
                //true- white double arrow image
                document [arrName].src = theArrow_on.src;
            } else {
                //false - blue double arrow image
                document [arrName].src = theArrow.src;
            }
        }
    }

    var selected = new Array();
    var hilited = new Array(4);
    hilited[0] = -1;
    hilited[1] = -1;
    hilited[2] = -1;
    hilited[3] = -1;
    var timer = null;
    function to2Node(num) {
        document.location = "nodePage.asp" + getURLArgs() + "RN=" + num;
    }
    function to2Style(num) {
        document.location = "stylePage.asp" + getURLArgs() + "RN=" + num;
    }
    var docObj = "document.";
    var styleObj = "";
    if (document.all) {
        docObj = "document.all.";
        styleObj = ".style";
    }
    function setClearTime() {
        if (timer) clearTimeout(timer);
        timer = null;
    }

```



```

        timer = setTimeout("clearMenus()",600);
    }
function cancelClearTime() {
    if (timer) clearTimeout(timer);
    timer = null;
}
function clearMenus() {
    var i,e;
    for (i = 0; i < selected.length; i++)
    {
        e = selected[i];
        if (e != "undefined")
        {
            elempt = eval(docObj+"sO" + e + styleObj);
            if (elempt != null)
                elempt.visibility = "hidden";
        }
    }
}
#####
// MAKES THE DROPDOWN VISIBLE AGAIN
var bFilterExists = false;
var objSelect = null;
var objFilter = null
var objIPP = document.forms( "select_filter_top" );
if ( objIPP != null )
{
    objSelect = objIPP.item(0);
    if ( objIPP.length == 2 )
        objIPP.item(1).style.visibility = "visible";
    objIPP = null;
}

objFilter = document.all( "colors" );
if ( objFilter != null )
{
    var objLimit = document.all( "limit" );
    if ( objLimit != null )
    {
        objLimit.style.visibility = "visible";
        objLimit = null;
    }
}
else
    objFilter = document.all( "limit" );

objIPP = document.forms( "wl_form_filter" );
if ( objIPP != null )
{
    objSelect = document.all( "WLST" );
    objFilter = document.all( "WLFF" );
    objIPP = null;
}

if ( objSelect != null )
{
    objSelect.style.visibility = "visible";
    objFilter.style.visibility = "visible";
}

```

```

        objSelect = null;
        objFilter = null;
    }
    else
    {
        var objRequestedPageName = document.all( "requestedPage" );
        if ( objRequestedPageName != null )
        {
            objSelect = document.all( "state" );
            objSelect.style.visibility = "visible";
            objSelect = null;
        }
    }

    selected.length = 0;
}
function doIMouseClick(i) {
    document.location = "stylePage.asp" + getURLArgs() + "RN=" + i;
    return true;
}
function doIMouseOut(cdiv) {
    setClearTime();
}

function clearOtherMenus( lev )
{
    if ( selected.length > lev )
    {
        e = selected[lev];
        if ( e != "undefined" )
        {
            elemt = eval(docObj+"s0" + e + styleObj);
            if ( elemt != null ) elemt.visibility = "hidden";
        }
        for ( k = lev+1; k < selected.length; k++ )
        {
            e = selected[k];
            if ( e != "undefined" )
            {
                elemt = eval( docObj+"s0" + e + styleObj );
                if ( elemt != null )
                    elemt.visibility = "hidden";
            }
        }
        selected.length = lev;
    }
    for ( k = lev+1; k < 4; k++ )
    {
        if ( hilited[k] != -1 )
        {
            if ( document["arrow"+hilited[k]] != null )
                showArrow( "arrow"+hilited[k], false );

            elemt = eval(docObj+"cell" + hilited[k] + styleObj);
            if ( ( elemt != null ) && ( elemt.type !=
"undefined" ) )
            {
                elemt.background = "#F0EFE5";
            }
        }
    }
}

```

```

elempt = eval(docObj+"cell" + hilited[k] + ".all['c']" + styleObj);
elempt.color = "#2D76AB";

        hilited[k] = -1;
    }
}

}

//mouse over second level menu
function doTMouseOver(lev,cdiv,src) {
    var elempt;

    if (cdiv != "undefined") {
        if (hilited[lev] != cdiv) {
            if (hilited[lev] != -1) {
                elempt = eval(docObj+"cell" + hilited[lev] +
styleObj);
                elempt = eval(docObj+"cell" + hilited[lev] +
styleObj);
                if ((elempt != null)&&(elempt.type !=
"undefined")) { elempt.background = "#F0EFE5";
elempt = eval(docObj+"cell" + hilited[lev] + ".all['c']" + styleObj);
elempt.color = "#2D76AB";

                    if (document["arrow"+hilited[lev]] != null)
showArrow("arrow"+hilited[lev],false);
                }
                elempt = eval(docObj+"cell" + cdiv + styleObj);
                if ((elempt != null)&&(elempt.type != "undefined")) {
elempt.background = "#2D76AB";
elempt = eval(docObj+"cell" + cdiv + ".all['c']" + styleObj);
elempt.color = "white";

                    hilited[lev] = cdiv;
                }
            }
        }
        clearOtherMenus(lev);

        cancelClearTime();
    }

//mouse over first menu level
function doIMouseOver(i,lev,ccc,src)
{
    var k,e;
    var elempt;
    var OK = false;
    var bFilterExists = false;

//#####
// HIDE DROPDOWN WHEN POPUP MENUS OPEN
// LEV IS THE INDEX OF THE LINE IN PRODMENUS, THIS CAN EASILY CHANGE
// hide/show select dropdown on a style pages
    var objSelect = null;

```

```

var objFilter = null;

if ( lev == 0 )
{
    var objRequestedPageName = document.all( "requestedPage" );
    if ( objRequestedPageName == null )
    {
        // REFERENCE IMAGES PER PAGE DROPDOWN
        var objIPP = document.forms( "select_filter_top" );
        if ( objIPP != null )
        {
            objSelect = objIPP.item( 0 );
            objIPP = null;
        }
        // REFERENCE COLORS DROPDOWN FILTER
        objIPP = document.all( "colors" );
        if ( objIPP != null )
        {
            bFilterExists = true;
            objFilter = objIPP( 0 ).parentElement;
            objIPP = null;
        }
        else
        {
            // REFERENCE THE PRICE FILTER DROPDOWN
            objIPP = document.all( "limit" );
            if ( objIPP != null )
            {
                bFilterExists = true;
                objFilter = objIPP( 0 ).parentElement;
                objIPP = null;
            }
        }

        // REFERENCE SORT DROPDOWN FROM WISH LIST PAGE
        objIPP = document.forms( "wl_form_filter" );
        if ( objIPP != null )
        {
            objSelect = document.all( "WLST" );
            objFilter = document.all( "WLFF" );
            objIPP = null;
        }

        // HIDE THE IPP DROPDOWN EXCEPT FOR DINING,
        ELECTRICS, SEASONAL, EAT ( BTS )
        if ( objSelect != null || bFilterExists )
        {
            switch ( i )
            {
                case 29:
                case 42:
                    // FOR DINING & ELECTTRICS IN
                    SEARCHSKU HIDE COLORS DROPDOWN
                    if ( bFilterExists )
                    {
                        objFilter.style.visibility =
"hidden";

```

```

                                break;
                                }
                                case 46:
                                case 54:
                                    if ( bFilterExists )
                                        objFilter.style.visibility =
"visible";

                                    break;
                                case 56:
                                case 57:
                                    objSelect.style.visibility =
"visible";

                                    if ( bFilterExists )
                                        objFilter.style.visibility =
"hidden";

                                    break;
                                default:
                                    objSelect.style.visibility =
"hidden";

                                    if ( bFilterExists )
                                        objFilter.style.visibility =
"hidden";

                                    break;
                                }
                                objSelect = null;
                                objFilter = null;
                            }
                        }
                    else
                    {
                        objSelect = document.all( "state" );
                        if ( objSelect != null )
                        {
                            switch ( i )
                            {
                                case 10:
                                case 14:
                                case 29:
                                case 38:
                                case 52:
                                    objSelect.style.visibility =
"hidden";

                                    break;
                                default:
                                    objSelect.style.visibility =
"visible";

                                    break;
                            }
                            objSelect = null;
                        }
                    }
                }
            else if ( lev == 1 )
            {
                var objColors = null;
                objColors = document.all( "colors" );
                if ( objColors != null )

```

```

{
    if ( objColors.style.visibility == "hidden" )
    {
        objSelect = document.all( "limit" );
        if ( objSelect != null )
        {
            switch ( i )
            {
                case 2:
                case 3:
                case 4:
                case 13:
                case 15:
                case 16:
                case 17:
                case 20:
                case 21:
                case 31:
                case 32:
                case 33:
                case 39:
                case 40:
                case 49:
                    objSelect.style.visibility =
"hidden";
                    break;
                default:
                    objSelect.style.visibility =
"visible";
            }
            objSelect = null;
        }
    }
    else
    {
        var objIPP = document.forms( "select_filter_top" );
        if ( objIPP == null )
            objIPP = document.forms( "wl_form_filter" );
        if ( objIPP != null )
        {
            if ( objIPP.length == 2 || objIPP.name ==
"wl_form_filter" )
            {
                objSelect = objIPP.item( 1 );

                if ( objSelect != null )
                {
                    switch ( i )
                    {
                        case 2:
                        case 3:
                        case 4:
                        case 11:
                        case 12:
                        case 13:
                        case 15:

```

```

                                case 16:
                                case 30:
                                case 31:
                                case 47:
                                case 48:

objSelect.style.visibility = "hidden";
                                break;
                                default:

objSelect.style.visibility = "visible";
                                }
                                objSelect = null;
                                }
                                }
                                objIPP = null;
                                }
                                else
                                {
var objRequestedPageName = document.all(
"requestedPage" );
                                if ( objRequestedPageName != null )
                                {
                                        objSelect = document.all( "state" );
                                        if ( objSelect != null )
                                        {
                                                switch ( i )
                                                {
                                                        case 40:
                                                        case 41:
                                                        case 44:

objSelect.style.visibility = "visible";
                                                        break;
                                                        default:

objSelect.style.visibility = "hidden";
                                                        break;
                                                        }
                                                objSelect = null;
                                        }
                                }
                                }
                                }
                                }
                                }

if (i == -1)
    clearOtherMenus(lev);
else
{
    if (ccc == -1)
        OK = true;
    else
    {
        elempt = eval(docObj+"s0" + src + styleObj);
        OK = (elempt.visibility == "visible"); //child
        element exists on first level menu
    }
}

```

```

    }
    clearOtherMenus(lev);
    if (hilited[lev] != ccc)
    {
        if (hilited[lev] != -1)
        {
            elemt = eval(docObj+"cell" + hilited[lev] +
styleObj);
            if ((elemt != null)&&(elemt.type !=
"undefined"))
            { elemt.background = "#F0EFE5";
            elemt = eval(docObj+"cell" + hilited[lev] + ".all['c']" + styleObj);
            elemt.color = "#2D76AB";

            if (document["arrow"+hilited[lev]] !=
null)

            showArrow("arrow"+hilited[lev],false);

            hilited[lev] = -1;
        }
    }
    if (ccc == "undefined")
        ccc = -1;
    if (ccc != -1)
    {
        elemt = eval(docObj+"cell" + ccc + styleObj);
        if (elemt != null)
        {
            elemt.background = "#2D76AB";
            elemt = eval(docObj+"cell" + ccc + ".all['c']" + styleObj);
            elemt.color = "white";

            showArrow("arrow"+ccc,true);
            hilited[lev] = ccc;
        }
    }
    if (OK)
    {
        if (i != "undefined")
        {
            elemt = eval(docObj+"s0" + i + styleObj);
            if ((elemt != null)&&(elemt.type !=
"undefined"))
            {
                elemt.visibility = "visible";
                selected[lev] = i;
            }
            cancelClearTime();
        }
    }
}

//-->
</script>

<script language="JavaScript1.2"
src="js/leftnav preload.js;pv38def6a355ccde36"></script>

```



```

<script language="JavaScript1.2"
src="js/common.js;pv982148c33bec72e3"></script>
<link rel="stylesheet" href="css/ns4.css;pvfc99d2c1692141f0"
type="text/css"><style type="text/css">@import url(css/main.css); /*IE
and NN6x styles*</style>
</head>
<body onLoad="init();fcnf();" bgcolor="#ffffff" topmargin="0"
leftmargin="0" marginwidth="0" marginheight="0">

<script>
function handle()
{
    return true;
}
window.onerror=handle;
</script>

<script defer
src="http://a644.g.akamai.net/f/644/67/3h/hints.netflame.cc/service/scr
ipt/www.bedbathandbeyond.com"></script>
<!-- menuname='Gifts' Num=15 primInc=22 -->
<DIV id="s01" CLASS=menu STYLE="visibility:hidden; TOP:92px; HEIGHT:
333px; LEFT: 135px; POSITION: absolute; Z-INDEX: 194">
<div id="cell3" STYLE="TOP:0px;" CLASS=menu
onmouseout='doIMouseOut(1)' onmouseover='doTMouseOver(1,3,1)'><a
href="javascript:to2Style(461)" id="c" class=menuA>For Her</a></div>
<div id="cell4" STYLE="TOP:22px;" CLASS=menu
onmouseout='doIMouseOut(1)' onmouseover='doTMouseOver(1,4,1)'><a
href="javascript:to2Style(457)" id="c" class=menuA>For the Home</a></div>
<div id="cell5" STYLE="TOP:44px;" CLASS=menu
onmouseout='doIMouseOut(1)' onmouseover='doTMouseOver(1,5,1)'><a
href="javascript:to2Style(460)" id="c" class=menuA>For Him</a></div>
<div id="cell6" STYLE="TOP:66px;" CLASS=menu
onmouseout='doIMouseOut(1)' onmouseover='doTMouseOver(1,6,1)'><a
href="javascript:to2Style(586)" id="c" class=menuA>Elegant Gifts</a></div>
<div id="cell7" STYLE="TOP:88px;" CLASS=menu
onmouseout='doIMouseOut(1)' onmouseover='doTMouseOver(1,7,1)'><a
href="javascript:to2Style(458)" id="c" class=menuA>For the Cook</a></div>
<div id="cell8" STYLE="TOP:110px;" CLASS=menu
onmouseout='doIMouseOut(1)' onmouseover='doTMouseOver(1,8,1)'><a
href="javascript:to2Style(585)" id="c" class=menuA>For the
Connoisseur</a></div>
<div id="cell9" STYLE="TOP:132px;" CLASS=menu
onmouseout='doIMouseOut(1)' onmouseover='doTMouseOver(1,9,1)'><a
href="javascript:to2Style(459)" id="c" class=menuA>For the Host</a></div>
<div id="cell110" STYLE="TOP:154px;" CLASS=menu
onmouseout='doIMouseOut(1)' onmouseover='doTMouseOver(1,10,1)'><a
href="javascript:to2Style(464)" id="c" class=menuA>Games & Gadgets</a></div>
<div id="cell111" STYLE="TOP:176px;" CLASS=menu
onmouseout='doIMouseOut(1)' onmouseover='doTMouseOver(1,11,1)'><a
href="javascript:to2Style(463)" id="c" class=menuA>Massage & Spa</a></div>
<div id="cell112" STYLE="TOP:198px;" CLASS=menu
onmouseout='doIMouseOut(1)' onmouseover='doTMouseOver(1,12,1)'><a
href="javascript:to2Style(487)" id="c" class=menuA>For the
Traveler</a></div>
<div id="cell113" STYLE="TOP:220px;" CLASS=menu
onmouseout='doIMouseOut(1)' onmouseover='doTMouseOver(1,13,1)'><a
href="javascript:to2Style(465)" id="c" class=menuA>For Kids</a></div>
<div id="cell114" STYLE="TOP:242px;" CLASS=menu
onmouseout='doIMouseOut(1)' onmouseover='doTMouseOver(1,14,1)'><a
href="javascript:to2Style(466)" id="c" class=menuA>For Pets</a></div>
<div id="cell115" STYLE="TOP:264px;" CLASS=menu
onmouseout='doIMouseOut(1)' onmouseover='doTMouseOver(1,15,1)'><a
href="javascript:to2Style(610)" id="c" class=menuA>Attendants
Gifts</a></div>
<div id="cell116" STYLE="TOP:286px;" CLASS=menu
onmouseout='doIMouseOut(1)' onmouseover='doTMouseOver(1,16,1)'><a
href="javascript:to2Style(611)" id="c" class=menuA>Baby Keepsakes</a></div>
<div id="cell117" STYLE="TOP:308px;" CLASS=menu
onmouseout='doIMouseOut(1)' onmouseover='doTMouseOver(1,17,1)'><a
href="javascript:to2Style(608)" id="c" class=menuA>Favors</a></div>
</DIV>
<DIV id="s02" CLASS=menu STYLE="visibility:hidden; TOP:70px; HEIGHT:
113px; LEFT: 323px; POSITION: absolute; Z-INDEX: 200">
<!-- menuname='Sheets' Num=5 subInc=22 -->
<div id="cell118" STYLE="TOP:0px;" CLASS=menu
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,18,2)'><a
href="javascript:to2Style(16)" id="c" class=menuA>Solids</a></div>
<div id="cell119" STYLE="TOP:22px;" CLASS=menu
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,19,2)'><a
href="javascript:to2Style(17)" id="c" class=menuA>Prints</a></div>
<div id="cell120" STYLE="TOP:44px;" CLASS=menu

```

```

onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,20,2)'><a
href="javascript:to2Style(19)" id="c" class=menuA>Flannel</a></div>
<div id="cell21" STYLE="TOP:66px;" CLASS=menuA
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,21,2)'><a
href="javascript:to2Style(18)" id="c" class=menuA>Jersey Sheet</a></div>
<div id="cell22" STYLE="TOP:88px;" CLASS=menuA
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,22,2)'><a
href="javascript:to2Style(163)" id="c" class=menuA>Special Sizes</a></div>
</DIV>
<DIV id="s03" CLASS=menu STYLE="visibility:hidden; TOP:92px; HEIGHT:
91px; LEFT: 323px; POSITION: absolute; Z-INDEX: 200">
<!-- menuname='Comforters' Num=4 subInc=22 -->
<div id="cell23" STYLE="TOP:0px;" CLASS=menuA
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,23,3)'><a
href="javascript:to2Style(23)" id="c" class=menuA>Down</a></div>
<div id="cell24" STYLE="TOP:22px;" CLASS=menuA
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,24,3)'><a
href="javascript:to2Style(24)" id="c" class=menuA>Flannel</a></div>
<div id="cell25" STYLE="TOP:44px;" CLASS=menuA
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,25,3)'><a
href="javascript:to2Style(22)" id="c" class=menuA>Prints</a></div>
<div id="cell26" STYLE="TOP:66px;" CLASS=menuA
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,26,3)'><a
href="javascript:to2Style(21)" id="c" class=menuA>Solids</a></div>
</DIV>
<DIV id="s04" CLASS=menu STYLE="visibility:hidden; TOP:136px; HEIGHT:
113px; LEFT: 323px; POSITION: absolute; Z-INDEX: 200">
<!-- menuname='Duvets' Num=5 subInc=22 -->
<div id="cell27" STYLE="TOP:0px;" CLASS=menuA
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,27,4)'><a
href="javascript:to2Style(29)" id="c" class=menuA>Velvet</a></div>
<div id="cell28" STYLE="TOP:22px;" CLASS=menuA
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,28,4)'><a
href="javascript:to2Style(574)" id="c" class=menuA>Faux Fur</a></div>
<div id="cell29" STYLE="TOP:44px;" CLASS=menuA
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,29,4)'><a
href="javascript:to2Style(26)" id="c" class=menuA>Solids</a></div>

```

```

<div id="cell30" STYLE="TOP:66px;" CLASS=menu
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,30,4) '><a
href="javascript:to2Style(27)" id="c" class=menuA>Prints</a></div>
<div id="cell31" STYLE="TOP:88px;" CLASS=menu
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,31,4) '><a
href="javascript:to2Style(28)" id="c" class=menuA>Flannel</a></div>
</DIV>
<DIV id="s05" CLASS=menu STYLE="visibility:hidden; TOP:158px; HEIGHT:
69px; LEFT: 323px; POSITION: absolute; Z-INDEX: 200">
<!-- menuname='Blankets/Throws' Num=3 subInc=22 -->
<div id="cell32" STYLE="TOP:0px;" CLASS=menu
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,32,5) '><a
href="javascript:to2Style(590)" id="c" class=menuA>Electric
Blankets</a></div>
<div id="cell33" STYLE="TOP:22px;" CLASS=menu
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,33,5) '><a
href="javascript:to2Style(38)" id="c" class=menuA>Blankets</a></div>
<div id="cell34" STYLE="TOP:44px;" CLASS=menu
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,34,5) '><a
href="javascript:to2Style(39)" id="c" class=menuA>Throws</a></div>
</DIV>
<DIV id="s06" CLASS=menu STYLE="visibility:hidden; TOP:246px; HEIGHT:
135px; LEFT: 323px; POSITION: absolute; Z-INDEX: 200">
<!-- menuname='Kids' Num=6 subInc=22 -->
<div id="cell35" STYLE="TOP:0px;" CLASS=menu
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,35,6) '><a
href="javascript:to2Style(46)" id="c" class=menuA>Girls Bedding</a></div>
<div id="cell36" STYLE="TOP:22px;" CLASS=menu
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,36,6) '><a
href="javascript:to2Style(47)" id="c" class=menuA>Boys Bedding</a></div>
<div id="cell37" STYLE="TOP:44px;" CLASS=menu
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,37,6) '><a
href="javascript:to2Style(374)" id="c" class=menuA>Kids Quilts</a></div>
<div id="cell38" STYLE="TOP:66px;" CLASS=menu
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,38,6) '><a
href="javascript:to2Style(297)" id="c" class=menuA>Kids
Throws/Pillows</a></div>
<div id="cell39" STYLE="TOP:88px;" CLASS=menu
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,39,6) '><a
href="javascript:to2Style(299)" id="c" class=menuA>Room Decor</a></div>
<div id="cell40" STYLE="TOP:110px;" CLASS=menup
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,40,6)'><a
href="javascript:to2Style(300)" id="c" class=menupA>Toys/Games</a></div>
</DIV>
<DIV id="s07" CLASS=menu STYLE="visibility:hidden; TOP:334px; HEIGHT:
91px; LEFT: 323px; POSITION: absolute; Z-INDEX: 200">
<!-- menuname='Pillows' Num=4 subInc=22 -->
<div id="cell41" STYLE="TOP:0px;" CLASS=menup
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,41,7)'><a
href="javascript:to2Style(33)" id="c" class=menupA>Natural/Down</a></div>
<div id="cell42" STYLE="TOP:22px;" CLASS=menup
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,42,7)'><a
href="javascript:to2Style(34)" id="c" class=menupA>Synthetic Fill</a></div>
<div id="cell43" STYLE="TOP:44px;" CLASS=menup
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,43,7)'><a
href="javascript:to2Style(35)" id="c" class=menupA>Specialty</a></div>
<div id="cell44" STYLE="TOP:66px;" CLASS=menup
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,44,7)'><a
href="javascript:to2Style(36)" id="c" class=menupA>Protectors</a></div>
</DIV>
<DIV id="s08" CLASS=menu STYLE="visibility:hidden; TOP:334px; HEIGHT:
91px; LEFT: 323px; POSITION: absolute; Z-INDEX: 200">
<!-- menuname='Mattress Pads' Num=4 subInc=22 -->
<div id="cell45" STYLE="TOP:0px;" CLASS=menup
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,45,8)'><a
href="javascript:to2Style(559)" id="c" class=menupA>Mattress Pads</a></div>
<div id="cell46" STYLE="TOP:22px;" CLASS=menup
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,46,8)'><a
href="javascript:to2Style(560)" id="c"
class=menupA>Fiber/Featherbed</a></div>
<div id="cell47" STYLE="TOP:44px;" CLASS=menup
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,47,8)'><a
href="javascript:to2Style(562)" id="c" class=menupA>Specialty</a></div>
<div id="cell48" STYLE="TOP:66px;" CLASS=menup
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,48,8)'><a
href="javascript:to2Style(561)" id="c" class=menupA>Mattress
Protectors</a></div>
</DIV>

```

```

<DIV id="s09" CLASS=menu STYLE="visibility:hidden; TOP:356px; HEIGHT:
69px; LEFT: 323px; POSITION: absolute; Z-INDEX: 200">
<!-- menuname='Bedding Accessories' Num=3 subInc=22 -->
<div id="cell49" STYLE="TOP:0px;" CLASS=menup
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,49,9) '><a
href="javascript:to2Style(41)" id="c" class=menupA>Aerobed</a></div>
<div id="cell50" STYLE="TOP:22px;" CLASS=menup
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,50,9) '><a
href="javascript:to2Style(197)" id="c" class=menupA>Canopies</a></div>
<div id="cell51" STYLE="TOP:44px;" CLASS=menup
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,51,9) '><a
href="javascript:to2Style(404)" id="c" class=menupA>Bedding Gadgets</a></div>
</DIV>
<!-- menuname='Bedding' Num=16 primInc=22 -->
<DIV id="s010" CLASS=menu STYLE="visibility:hidden; TOP:70px; HEIGHT:
355px; LEFT: 135px; POSITION: absolute; Z-INDEX: 194">
<div id="cell52" STYLE="TOP:0px; cursor=hand;" CLASS=menup
onmouseout='doIMouseOut(52)' onmouseover='doIMouseOver(2,1,52,10) '><a
href="javascript:to2Node(15)" id="c" class=menupA>Sheets<div
STYLE="position:absolute;left:0;top:6;"><a
href="javascript:to2Node(15)" class=menupA ></a></div></a></div>
<div id="cell53" STYLE="TOP:22px; cursor=hand;" CLASS=menup
onmouseout='doIMouseOut(53)' onmouseover='doIMouseOver(3,1,53,10) '><a
href="javascript:to2Node(20)" id="c" class=menupA>Comforters<div
STYLE="position:absolute;left:0;top:6;"><a
href="javascript:to2Node(20)" class=menupA ></a></div></a></div>
<div id="cell54" STYLE="TOP:44px;" CLASS=menup
onmouseout='doIMouseOut(1)' onmouseover='doTMouseOver(1,54,10) '><a
href="javascript:to2Style(31)" id="c" class=menupA>Bed-In-A-Bag</a></div>
<div id="cell55" STYLE="TOP:66px; cursor=hand;" CLASS=menup
onmouseout='doIMouseOut(55)' onmouseover='doIMouseOver(4,1,55,10) '><a
href="javascript:to2Node(25)" id="c" class=menupA>Duvets<div
STYLE="position:absolute;left:0;top:6;"><a
href="javascript:to2Node(25)" class=menupA ></a></div></a></div>
<div id="cell56" STYLE="TOP:88px; cursor=hand;" CLASS=menup
onmouseout='doIMouseOut(56)' onmouseover='doIMouseOver(5,1,56,10) '><a
href="javascript:to2Node(589)" id="c" class=menupA>Blankets/Throws<div
STYLE="position:absolute;left:0;top:6;"><a
href="javascript:to2Node(589)" class=menupA ></a></div></a></div>
<div id="cell57" STYLE="TOP:110px;" CLASS=menup
onmouseout='doIMouseOut(1)' onmouseover='doTMouseOver(1,57,10) '><a

```

```

href="javascript:to2Style(42)" id="c" class=menuA>Quilts</a></div>
<div id="cell58" STYLE="TOP:132px;" CLASS=menu
onmouseout='doIMouseOut(1)' onmouseover='doTMouseOver(1,58,10)'><a
href="javascript:to2Style(44)" id="c" class=menuA>Dust Ruffles</a></div>
<div id="cell59" STYLE="TOP:154px;" CLASS=menu
onmouseout='doIMouseOut(1)' onmouseover='doTMouseOver(1,59,10)'><a
href="javascript:to2Style(675)" id="c" class=menuA>Shams</a></div>
<div id="cell60" STYLE="TOP:176px; cursor=hand;" CLASS=menu
onmouseout='doIMouseOut(60)' onmouseover='doIMouseOver(6,1,60,10)'><a
href="javascript:to2Node(45)" id="c" class=menuA>Kids<div
STYLE="position:absolute;left:0;top:6;"><a
href="javascript:to2Node(45)" class=menuA ></a></div></a></div>
<div id="cell61" STYLE="TOP:198px;" CLASS=menu
onmouseout='doIMouseOut(1)' onmouseover='doTMouseOver(1,61,10)'><a
href="javascript:to2Style(380)" id="c"
class=menuA>Bedspreads/Coverlets</a></div>
<div id="cell62" STYLE="TOP:220px;" CLASS=menu
onmouseout='doIMouseOut(1)' onmouseover='doTMouseOver(1,62,10)'><a
href="javascript:to2Style(381)" id="c" class=menuA>Daybeds/Hi
Risers</a></div>
<div id="cell63" STYLE="TOP:242px;" CLASS=menu
onmouseout='doIMouseOut(1)' onmouseover='doTMouseOver(1,63,10)'><a
href="javascript:to2Style(597)" id="c" class=menuA>Futon Covers</a></div>
<div id="cell64" STYLE="TOP:264px; cursor=hand;" CLASS=menu
onmouseout='doIMouseOut(64)' onmouseover='doIMouseOver(7,1,64,10)'><a
href="javascript:to2Node(32)" id="c" class=menuA>Pillows<div
STYLE="position:absolute;left:0;top:6;"><a
href="javascript:to2Node(32)" class=menuA ></a></div></a></div>
<div id="cell65" STYLE="TOP:286px; cursor=hand;" CLASS=menu
onmouseout='doIMouseOut(65)' onmouseover='doIMouseOver(8,1,65,10)'><a
href="javascript:to2Node(37)" id="c" class=menuA>Mattress Pads<div
STYLE="position:absolute;left:0;top:6;"><a
href="javascript:to2Node(37)" class=menuA ></a></div></a></div>
<div id="cell66" STYLE="TOP:308px; cursor=hand;" CLASS=menu
onmouseout='doIMouseOut(66)' onmouseover='doIMouseOver(9,1,66,10)'><a
href="javascript:to2Node(40)" id="c" class=menuA>Bedding
Accessories<div STYLE="position:absolute;left:0;top:6;"><a
href="javascript:to2Node(40)" class=menuA ></a></div></a></div>

```

```

<div id="cell67" STYLE="TOP:330px;" CLASS=menu
onmouseout='doIMouseOut(1)' onmouseover='doTMouseOver(1,67,10) '><a
href="javascript:to2Style(572)" id="c" class=menuA>Clearance</a></div>
</DIV>
<DIV id="s011" CLASS=menu STYLE="visibility:hidden; TOP:48px; HEIGHT:
91px; LEFT: 323px; POSITION: absolute; Z-INDEX: 200">
<!-- menuname='Towels' Num=4 subInc=22 -->
<div id="cell68" STYLE="TOP:0px;" CLASS=menu
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,68,11) '><a
href="javascript:to2Style(273)" id="c" class=menuA>Solid</a></div>
<div id="cell69" STYLE="TOP:22px;" CLASS=menu
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,69,11) '><a
href="javascript:to2Style(274)" id="c" class=menuA>Print</a></div>
<div id="cell70" STYLE="TOP:44px;" CLASS=menu
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,70,11) '><a
href="javascript:to2Style(275)" id="c" class=menuA>Embellished</a></div>
<div id="cell71" STYLE="TOP:66px;" CLASS=menu
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,71,11) '><a
href="javascript:to2Style(276)" id="c" class=menuA>Beach</a></div>
</DIV>
<DIV id="s012" CLASS=menu STYLE="visibility:hidden; TOP:70px; HEIGHT:
47px; LEFT: 323px; POSITION: absolute; Z-INDEX: 200">
<!-- menuname='Bath Ensembles' Num=2 subInc=22 -->
<div id="cell72" STYLE="TOP:0px;" CLASS=menu
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,72,12) '><a
href="javascript:to2Style(8)" id="c" class=menuA>Prints</a></div>
<div id="cell73" STYLE="TOP:22px;" CLASS=menu
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,73,12) '><a
href="javascript:to2Style(7)" id="c" class=menuA>Solids</a></div>
</DIV>
<DIV id="s013" CLASS=menu STYLE="visibility:hidden; TOP:92px; HEIGHT:
113px; LEFT: 323px; POSITION: absolute; Z-INDEX: 200">
<!-- menuname='Shower Curtains/Access.' Num=5 subInc=22 -->
<div id="cell74" STYLE="TOP:0px;" CLASS=menu
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,74,13) '><a
href="javascript:to2Style(10)" id="c" class=menuA>Print Shower
Curtains</a></div>
<div id="cell75" STYLE="TOP:22px;" CLASS=menu
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,75,13) '><a
href="javascript:to2Style(671)" id="c" class=menuA>Solid Shower
Curtains</a></div>

```



```

<div id="cell76" STYLE="TOP:44px;" CLASS=menu
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,76,13) '><a
href="javascript:to2Style(382)" id="c" class=menuA>Vinyl Shower
Curtains</a></div>
<div id="cell77" STYLE="TOP:66px;" CLASS=menu
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,77,13) '><a
href="javascript:to2Style(12)" id="c" class=menuA>Linens</a></div>
<div id="cell78" STYLE="TOP:88px;" CLASS=menu
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,78,13) '><a
href="javascript:to2Style(383)" id="c" class=menuA>Hooks</a></div>
</DIV>
<!-- menuname='Bath' Num=17 primInc=22 -->
<DIV id="s014" CLASS=menu STYLE="visibility:hidden; TOP:48px; HEIGHT:
377px; LEFT: 135px; POSITION: absolute; Z-INDEX: 194">
<div id="cell79" STYLE="TOP:0px; cursor=hand;" CLASS=menu
onmouseout='doIMouseOut(79)' onmouseover='doIMouseOver(11,1,79,14) '><a
href="javascript:to2Node(2)" id="c" class=menuA>Towels<div
STYLE="position:absolute;left:0;top:6;"><a href="javascript:to2Node(2)"
class=menuA ></a></div></a></div>
<div id="cell80" STYLE="TOP:22px; cursor=hand;" CLASS=menu
onmouseout='doIMouseOut(80)' onmouseover='doIMouseOver(12,1,80,14) '><a
href="javascript:to2Node(6)" id="c" class=menuA>Bath Ensembles<div
STYLE="position:absolute;left:0;top:6;"><a href="javascript:to2Node(6)"
class=menuA ></a></div></a></div>
<div id="cell81" STYLE="TOP:44px; cursor=hand;" CLASS=menu
onmouseout='doIMouseOut(81)' onmouseover='doIMouseOver(13,1,81,14) '><a
href="javascript:to2Node(9)" id="c" class=menuA>Shower
Curtains/Access.<div STYLE="position:absolute;left:0;top:6;"><a
href="javascript:to2Node(9)" class=menuA ></a></div></a></div>
<div id="cell82" STYLE="TOP:66px;" CLASS=menu
onmouseout='doIMouseOut(1)' onmouseover='doTMouseOver(1,82,14) '><a
href="javascript:to2Style(13)" id="c" class=menuA>Bath Accessories</a></div>
<div id="cell83" STYLE="TOP:88px;" CLASS=menu
onmouseout='doIMouseOut(1)' onmouseover='doTMouseOver(1,83,14) '><a
href="javascript:to2Style(371)" id="c" class=menuA>Bath Hardware</a></div>
<div id="cell84" STYLE="TOP:110px;" CLASS=menu
onmouseout='doIMouseOut(1)' onmouseover='doTMouseOver(1,84,14) '><a
href="javascript:to2Style(370)" id="c" class=menuA>Bath Furniture</a></div>
<div id="cell85" STYLE="TOP:132px;" CLASS=menu
onmouseout='doIMouseOut(1)' onmouseover='doTMouseOver(1,85,14) '><a

```

```
href="javascript:to2Style(369)" id="c" class=menuA>Kids Bath</a></div>
<div id="cell186" STYLE="TOP:154px;" CLASS=menuA
onmouseout='doIMouseOut(1)' onmouseover='doTMouseOver(1,86,14) '><a
href="javascript:to2Style(592)" id="c" class=menuA>Hampers</a></div>
<div id="cell187" STYLE="TOP:176px;" CLASS=menuA
onmouseout='doIMouseOut(1)' onmouseover='doTMouseOver(1,87,14) '><a
href="javascript:to2Style(3)" id="c" class=menuA>Rugs</a></div>
<div id="cell188" STYLE="TOP:198px;" CLASS=menuA
onmouseout='doIMouseOut(1)' onmouseover='doTMouseOver(1,88,14) '><a
href="javascript:to2Style(670)" id="c" class=menuA>Shower Heads</a></div>
<div id="cell189" STYLE="TOP:220px;" CLASS=menuA
onmouseout='doIMouseOut(1)' onmouseover='doTMouseOver(1,89,14) '><a
href="javascript:to2Style(182)" id="c" class=menuA>Shower/Tub
Accessories</a></div>
<div id="cell190" STYLE="TOP:242px;" CLASS=menuA
onmouseout='doIMouseOut(1)' onmouseover='doTMouseOver(1,90,14) '><a
href="javascript:to2Style(444)" id="c" class=menuA>Scales</a></div>
<div id="cell191" STYLE="TOP:264px;" CLASS=menuA
onmouseout='doIMouseOut(1)' onmouseover='doTMouseOver(1,91,14) '><a
href="javascript:to2Style(445)" id="c" class=menuA>Mirrors</a></div>
<div id="cell192" STYLE="TOP:286px;" CLASS=menuA
onmouseout='doIMouseOut(1)' onmouseover='doTMouseOver(1,92,14) '><a
href="javascript:to2Style(372)" id="c" class=menuA>Robes/Slippers</a></div>
<div id="cell193" STYLE="TOP:308px;" CLASS=menuA
onmouseout='doIMouseOut(1)' onmouseover='doTMouseOver(1,93,14) '><a
href="javascript:to2Style(184)" id="c" class=menuA>Personal Care</a></div>
<div id="cell194" STYLE="TOP:330px;" CLASS=menuA
onmouseout='doIMouseOut(1)' onmouseover='doTMouseOver(1,94,14) '><a
href="javascript:to2Style(373)" id="c" class=menuA>Gift Sets</a></div>
<div id="cell195" STYLE="TOP:352px;" CLASS=menuA
onmouseout='doIMouseOut(1)' onmouseover='doTMouseOver(1,95,14) '><a
href="javascript:to2Style(571)" id="c" class=menuA>Clearance</a></div>
</DIV>
<DIV id="s015" CLASS=menu STYLE="visibility:hidden; TOP:158px; HEIGHT:
113px; LEFT: 323px; POSITION: absolute; Z-INDEX: 200">
<!-- menuname='Cookware' Num=5 subInc=22 -->
```

```

<div id="cell96" STYLE="TOP:0px;" CLASS=menu
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,96,15)'><a
href="javascript:to2Style(397)" id="c" class=menuA>Stainless Steel</a></div>
<div id="cell97" STYLE="TOP:22px;" CLASS=menu
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,97,15)'><a
href="javascript:to2Style(398)" id="c" class=menuA>Non-Stick</a></div>
<div id="cell98" STYLE="TOP:44px;" CLASS=menu
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,98,15)'><a
href="javascript:to2Style(399)" id="c" class=menuA>Hard
Anodized/Aluminum</a></div>
<div id="cell99" STYLE="TOP:66px;" CLASS=menu
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,99,15)'><a
href="javascript:to2Style(400)" id="c" class=menuA>Specialty</a></div>
<div id="cell100" STYLE="TOP:88px;" CLASS=menu
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,100,15)'><a
href="javascript:to2Style(484)" id="c" class=menuA>Pot Racks</a></div>
</DIV>
<DIV id="s016" CLASS=menu STYLE="visibility:hidden; TOP:180px; HEIGHT:
91px; LEFT: 323px; POSITION: absolute; Z-INDEX: 200">
<!-- menuname='Cutlery' Num=4 subInc=22 -->
<div id="cell101" STYLE="TOP:0px;" CLASS=menu
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,101,16)'><a
href="javascript:to2Style(395)" id="c" class=menuA>Knife Block
Sets</a></div>
<div id="cell102" STYLE="TOP:22px;" CLASS=menu
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,102,16)'><a
href="javascript:to2Style(392)" id="c" class=menuA>Open Stock</a></div>
<div id="cell103" STYLE="TOP:44px;" CLASS=menu
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,103,16)'><a
href="javascript:to2Style(306)" id="c" class=menuA>Steak Knife
Sets</a></div>
<div id="cell104" STYLE="TOP:66px;" CLASS=menu
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,104,16)'><a
href="javascript:to2Style(305)" id="c" class=menuA>Accessories</a></div>
</DIV>
<DIV id="s017" CLASS=menu STYLE="visibility:hidden; TOP:224px; HEIGHT:
201px; LEFT: 323px; POSITION: absolute; Z-INDEX: 200">
<!-- menuname='Gadgets' Num=9 subInc=22 -->
<div id="cell105" STYLE="TOP:0px;" CLASS=menu
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,105,17)'><a
href="javascript:to2Style(104)" id="c" class=menuA>Gadgets</a></div>
<div id="cell1106" STYLE="TOP:22px;" CLASS=menu
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,106,17)'><a
href="javascript:to2Style(105)" id="c" class=menuA>Utensils</a></div>
<div id="cell1107" STYLE="TOP:44px;" CLASS=menu
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,107,17)'><a
href="javascript:to2Style(106)" id="c"
class=menuA>Baking/Measuring</a></div>
<div id="cell1108" STYLE="TOP:66px;" CLASS=menu
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,108,17)'><a
href="javascript:to2Style(210)" id="c"
class=menuA>Thermometer/Timer</a></div>
<div id="cell1109" STYLE="TOP:88px;" CLASS=menu
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,109,17)'><a
href="javascript:to2Style(211)" id="c" class=menuA>Grater/Slicer</a></div>
<div id="cell1110" STYLE="TOP:110px;" CLASS=menu
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,110,17)'><a
href="javascript:to2Style(209)" id="c" class=menuA>Roasting</a></div>
<div id="cell1111" STYLE="TOP:132px;" CLASS=menu
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,111,17)'><a
href="javascript:to2Style(212)" id="c"
class=menuA>Strainer/Colander</a></div>
<div id="cell1112" STYLE="TOP:154px;" CLASS=menu
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,112,17)'><a
href="javascript:to2Style(213)" id="c" class=menuA>Bowls</a></div>
<div id="cell1113" STYLE="TOP:176px;" CLASS=menu
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,113,17)'><a
href="javascript:to2Style(214)" id="c" class=menuA>Specialty</a></div>
</DIV>
<DIV id="s018" CLASS=menu STYLE="visibility:hidden; TOP:268px; HEIGHT:
135px; LEFT: 323px; POSITION: absolute; Z-INDEX: 200">
<!-- menuname='Kitchen Accessories' Num=6 subInc=22 -->
<div id="cell1114" STYLE="TOP:0px;" CLASS=menu
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,114,18)'><a
href="javascript:to2Style(206)" id="c" class=menuA>Pantryware</a></div>
<div id="cell1115" STYLE="TOP:22px;" CLASS=menu
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,115,18)'><a
href="javascript:to2Style(515)" id="c" class=menuA>Papertowel

```

```

Holders</a></div>
<div id="cell116" STYLE="TOP:44px;" CLASS=menu
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,116,18) '><a
href="javascript:to2Style(405)" id="c" class=menuA>Salt & Pepper</a></div>
<div id="cell117" STYLE="TOP:66px;" CLASS=menu
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,117,18) '><a
href="javascript:to2Style(207)" id="c" class=menuA>Spice Racks</a></div>
<div id="cell118" STYLE="TOP:88px;" CLASS=menu
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,118,18) '><a
href="javascript:to2Style(204)" id="c" class=menuA>Food Storage</a></div>
<div id="cell119" STYLE="TOP:110px;" CLASS=menu
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,119,18) '><a
href="javascript:to2Style(205)" id="c" class=menuA>Organization</a></div>
</DIV>
<!-- menuname='Kitchen' Num=12 primInc=22 -->
<DIV id="s019" CLASS=menu STYLE="visibility:hidden; TOP:158px; HEIGHT:
267px; LEFT: 135px; POSITION: absolute; Z-INDEX: 194">
<div id="cell120" STYLE="TOP:0px; cursor=hand;" CLASS=menu
onmouseout='doIMouseOut(120) '
onmouseover='doIMouseOver(15,1,120,19) '><a
href="javascript:to2Node(109)" id="c" class=menuA>Cookware<div
STYLE="position:absolute;left:0;top:6;"><a
href="javascript:to2Node(109)" class=menuA ></a></div></a></div>
<div id="cell121" STYLE="TOP:22px; cursor=hand;" CLASS=menu
onmouseout='doIMouseOut(121) '
onmouseover='doIMouseOver(16,1,121,19) '><a
href="javascript:to2Node(110)" id="c" class=menuA>Cutlery<div
STYLE="position:absolute;left:0;top:6;"><a
href="javascript:to2Node(110)" class=menuA ></a></div></a></div>
<div id="cell122" STYLE="TOP:44px;" CLASS=menu
onmouseout='doIMouseOut(1) ' onmouseover='doTMouseOver(1,122,19) '><a
href="javascript:to2Style(111)" id="c" class=menuA>Bakeware</a></div>
<div id="cell123" STYLE="TOP:66px; cursor=hand;" CLASS=menu
onmouseout='doIMouseOut(123) '
onmouseover='doIMouseOver(17,1,123,19) '><a
href="javascript:to2Node(103)" id="c" class=menuA>Gadgets<div
STYLE="position:absolute;left:0;top:6;"><a
href="javascript:to2Node(103)" class=menuA ></a></div></a></div>
<div id="cell124" STYLE="TOP:88px;" CLASS=menu
onmouseout='doIMouseOut(1) ' onmouseover='doTMouseOver(1,124,19) '><a

```

```

href="javascript:to2Style(108)" id="c" class=menuA>Cutting Boards</a></div>
<div id="cell125" STYLE="TOP:110px; cursor=hand;" CLASS=menuA
onmouseout='doIMouseOut(125)'
onmouseover='doIMouseOver(18,1,125,19)'><a
href="javascript:to2Node(112)" id="c" class=menuA>Kitchen
Accessories<div STYLE="position:absolute;left:0;top:6;"><a
href="javascript:to2Node(112)" class=menuA ></a></div></a></div>
<div id="cell126" STYLE="TOP:132px;" CLASS=menuA
onmouseout='doIMouseOut(1)' onmouseover='doTMouseOver(1,126,19)'><a
href="javascript:to2Style(208)" id="c" class=menuA>Tea Kettles</a></div>
<div id="cell127" STYLE="TOP:154px;" CLASS=menuA
onmouseout='doIMouseOut(1)' onmouseover='doTMouseOver(1,127,19)'><a
href="javascript:to2Style(203)" id="c" class=menuA>Salad Bowls</a></div>
<div id="cell128" STYLE="TOP:176px;" CLASS=menuA
onmouseout='doIMouseOut(1)' onmouseover='doTMouseOver(1,128,19)'><a
href="javascript:to2Style(605)" id="c" class=menuA>Water
Filtration</a></div>
<div id="cell129" STYLE="TOP:198px;" CLASS=menuA
onmouseout='doIMouseOut(1)' onmouseover='doTMouseOver(1,129,19)'><a
href="javascript:to2Style(114)" id="c" class=menuA>Kitchen
Textiles</a></div>
<div id="cell130" STYLE="TOP:220px;" CLASS=menuA
onmouseout='doIMouseOut(1)' onmouseover='doTMouseOver(1,130,19)'><a
href="javascript:to2Style(674)" id="c" class=menuA>Kitchen
Mats/Slices</a></div>
<div id="cell131" STYLE="TOP:242px;" CLASS=menuA
onmouseout='doIMouseOut(1)' onmouseover='doTMouseOver(1,131,19)'><a
href="javascript:to2Style(673)" id="c" class=menuA>Cookbooks</a></div>
</DIV>
<DIV id="s020" CLASS=menu STYLE="visibility:hidden; TOP:180px; HEIGHT:
91px; LEFT: 323px; POSITION: absolute; Z-INDEX: 200">
<!-- menuname='Fine China' Num=4 subInc=22 -->
<div id="cell132" STYLE="TOP:0px;" CLASS=menuA
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,132,20)'><a
href="javascript:to2Style(497)" id="c" class=menuA>Gold Band</a></div>
<div id="cell133" STYLE="TOP:22px;" CLASS=menuA
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,133,20)'><a
href="javascript:to2Style(498)" id="c" class=menuA>Platinum Band</a></div>
<div id="cell134" STYLE="TOP:44px;" CLASS=menuA
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,134,20)'><a

```

```

href="javascript:to2Style(499)" id="c" class=menupA>Traditional</a></div>
<div id="cell1135" STYLE="TOP:66px;" CLASS=menup
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,135,20)'><a
href="javascript:to2Style(500)" id="c" class=menupA>Contemporary</a></div>
</DIV>
<DIV id="s021" CLASS=menu STYLE="visibility:hidden; TOP:202px; HEIGHT:
47px; LEFT: 323px; POSITION: absolute; Z-INDEX: 200">
<!-- menuname='Casual China' Num=2 subInc=22 -->
<div id="cell1136" STYLE="TOP:0px;" CLASS=menup
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,136,21)'><a
href="javascript:to2Style(502)" id="c" class=menupA>Solid</a></div>
<div id="cell1137" STYLE="TOP:22px;" CLASS=menup
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,137,21)'><a
href="javascript:to2Style(503)" id="c" class=menupA>Pattern</a></div>
</DIV>
<DIV id="s022" CLASS=menu STYLE="visibility:hidden; TOP:224px; HEIGHT:
47px; LEFT: 323px; POSITION: absolute; Z-INDEX: 200">
<!-- menuname='Everyday Dinnerware' Num=2 subInc=22 -->
<div id="cell1138" STYLE="TOP:0px;" CLASS=menup
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,138,22)'><a
href="javascript:to2Style(555)" id="c" class=menupA>Pattern</a></div>
<div id="cell1139" STYLE="TOP:22px;" CLASS=menup
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,139,22)'><a
href="javascript:to2Style(554)" id="c" class=menupA>Solid</a></div>
</DIV>
<DIV id="s023" CLASS=menu STYLE="visibility:hidden; TOP:246px; HEIGHT:
69px; LEFT: 323px; POSITION: absolute; Z-INDEX: 200">
<!-- menuname='Flatware' Num=3 subInc=22 -->
<div id="cell1140" STYLE="TOP:0px;" CLASS=menup
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,140,23)'><a
href="javascript:to2Style(504)" id="c" class=menupA>Place Settings</a></div>
<div id="cell1141" STYLE="TOP:22px;" CLASS=menup
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,141,23)'><a
href="javascript:to2Style(505)" id="c" class=menupA>Sets</a></div>
<div id="cell1142" STYLE="TOP:44px;" CLASS=menup
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,142,23)'><a
href="javascript:to2Style(556)" id="c" class=menupA>Flatware Chests</a></div>
</DIV>
<DIV id="s024" CLASS=menu STYLE="visibility:hidden; TOP:268px; HEIGHT:

```

```

47px; LEFT: 323px; POSITION: absolute; Z-INDEX: 200">
<!-- menuname='Stemware' Num=2 subInc=22 -->
<div id="cell143" STYLE="TOP:0px;" CLASS=menup
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,143,24) '><a
href="javascript:to2Style(506)" id="c" class=menupA>Fine Stemware</a></div>
<div id="cell144" STYLE="TOP:22px;" CLASS=menup
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,144,24) '><a
href="javascript:to2Style(59)" id="c" class=menupA>Everyday
Stemware</a></div>
</DIV>
<DIV id="s025" CLASS=menu STYLE="visibility:hidden; TOP:290px; HEIGHT:
113px; LEFT: 323px; POSITION: absolute; Z-INDEX: 200">
<!-- menuname='Barware' Num=5 subInc=22 -->
<div id="cell145" STYLE="TOP:0px;" CLASS=menup
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,145,25) '><a
href="javascript:to2Style(507)" id="c" class=menupA>Fine Barware</a></div>
<div id="cell146" STYLE="TOP:22px;" CLASS=menup
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,146,25) '><a
href="javascript:to2Style(58)" id="c" class=menupA>Everyday Barware</a></div>
<div id="cell147" STYLE="TOP:44px;" CLASS=menup
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,147,25) '><a
href="javascript:to2Style(508)" id="c" class=menupA>Carafes &
Decanters</a></div>
<div id="cell148" STYLE="TOP:66px;" CLASS=menup
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,148,25) '><a
href="javascript:to2Style(107)" id="c" class=menupA>Bar Accessories</a></div>
<div id="cell149" STYLE="TOP:88px;" CLASS=menup
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,149,25) '><a
href="javascript:to2Style(595)" id="c" class=menupA>Coasters</a></div>
</DIV>
<DIV id="s026" CLASS=menu STYLE="visibility:hidden; TOP:312px; HEIGHT:
69px; LEFT: 323px; POSITION: absolute; Z-INDEX: 200">
<!-- menuname='Fine Giftware' Num=3 subInc=22 -->
<div id="cell150" STYLE="TOP:0px;" CLASS=menup
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,150,26) '><a
href="javascript:to2Style(509)" id="c" class=menupA>Crystal</a></div>
<div id="cell151" STYLE="TOP:22px;" CLASS=menup
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,151,26) '><a
href="javascript:to2Style(510)" id="c" class=menupA>Metal</a></div>
<div id="cell152" STYLE="TOP:44px;" CLASS=menup
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,152,26) '><a

```



```

href="javascript:to2Style(511)" id="c" class=menuA>Ceramic</a></div>
</DIV>
<DIV id="s027" CLASS=menu STYLE="visibility:hidden; TOP:290px; HEIGHT:
135px; LEFT: 323px; POSITION: absolute; Z-INDEX: 200">
<!-- menuname='Entertaining' Num=6 subInc=22 -->
<div id="cell153" STYLE="TOP:0px;" CLASS=menu
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,153,27) '><a
href="javascript:to2Style(579)" id="c" class=menuA>Wine & Cheese</a></div>
<div id="cell154" STYLE="TOP:22px;" CLASS=menu
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,154,27) '><a
href="javascript:to2Style(548)" id="c" class=menuA>Coffee/Dessert</a></div>
<div id="cell155" STYLE="TOP:44px;" CLASS=menu
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,155,27) '><a
href="javascript:to2Style(542)" id="c" class=menuA>Platters/Bowls</a></div>
<div id="cell156" STYLE="TOP:66px;" CLASS=menu
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,156,27) '><a
href="javascript:to2Style(545)" id="c" class=menuA>Pitchers/Punch
Bowls</a></div>
<div id="cell157" STYLE="TOP:88px;" CLASS=menu
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,157,27) '><a
href="javascript:to2Style(549)" id="c" class=menuA>Accessories</a></div>
<div id="cell158" STYLE="TOP:110px;" CLASS=menu
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,158,27) '><a
href="javascript:to2Style(203)" id="c" class=menuA>Salad Bowls</a></div>
</DIV>
<DIV id="s028" CLASS=menu STYLE="visibility:hidden; TOP:312px; HEIGHT:
113px; LEFT: 323px; POSITION: absolute; Z-INDEX: 200">
<!-- menuname='Tablecloth/Placemats' Num=5 subInc=22 -->
<div id="cell159" STYLE="TOP:0px;" CLASS=menu
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,159,28) '><a
href="javascript:to2Style(63)" id="c" class=menuA>Tablecloths</a></div>
<div id="cell160" STYLE="TOP:22px;" CLASS=menu
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,160,28) '><a
href="javascript:to2Style(64)" id="c" class=menuA>Placemats</a></div>
<div id="cell161" STYLE="TOP:44px;" CLASS=menu
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,161,28) '><a
href="javascript:to2Style(65)" id="c" class=menuA>Accessories</a></div>
<div id="cell162" STYLE="TOP:66px;" CLASS=menu

```

```

onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,162,28) '><a
href="javascript:to2Style(473)" id="c" class=menuA>Chairpad/Barstool
Covers</a></div>
<div id="cell163" STYLE="TOP:88px;" CLASS=menuA
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,163,28) '><a
href="javascript:to2Style(595)" id="c" class=menuA>Coasters</a></div>
</DIV>
<!-- menuName='Dining' Num=12 primInc=22 -->
<DIV id="s029" CLASS=menu STYLE="visibility:hidden; TOP:158px; HEIGHT:
267px; LEFT: 135px; POSITION: absolute; Z-INDEX: 194">
<div id="cell164" STYLE="TOP:0px;" CLASS=menuA
onmouseout='doIMouseOut(1)' onmouseover='doTMouseOver(1,164,29) '><a
href="javascript:to2Style(320)" id="c" class=menuA>Fine Tabletop by
Brand</a></div>
<div id="cell165" STYLE="TOP:22px; cursor=hand;" CLASS=menuA
onmouseout='doIMouseOut(165) '
onmouseover='doIMouseOver(20,1,165,29) '><a
href="javascript:to2Node(496)" id="c" class=menuA>Fine China<div
STYLE="position:absolute;left:0;top:6;"><a
href="javascript:to2Node(496)" class=menuA ></a></div></a></div>
<div id="cell166" STYLE="TOP:44px; cursor=hand;" CLASS=menuA
onmouseout='doIMouseOut(166) '
onmouseover='doIMouseOver(21,1,166,29) '><a
href="javascript:to2Node(501)" id="c" class=menuA>Casual China<div
STYLE="position:absolute;left:0;top:6;"><a
href="javascript:to2Node(501)" class=menuA ></a></div></a></div>
<div id="cell167" STYLE="TOP:66px; cursor=hand;" CLASS=menuA
onmouseout='doIMouseOut(167) '
onmouseover='doIMouseOver(22,1,167,29) '><a
href="javascript:to2Node(377)" id="c" class=menuA>Everyday
Dinnerware<div STYLE="position:absolute;left:0;top:6;"><a
href="javascript:to2Node(377)" class=menuA ></a></div></a></div>
<div id="cell168" STYLE="TOP:88px; cursor=hand;" CLASS=menuA
onmouseout='doIMouseOut(168) '
onmouseover='doIMouseOver(23,1,168,29) '><a
href="javascript:to2Node(60)" id="c" class=menuA>Flatware<div
STYLE="position:absolute;left:0;top:6;"><a
href="javascript:to2Node(60)" class=menuA ></a></div></a></div>
<div id="cell169" STYLE="TOP:110px; cursor=hand;" CLASS=menuA
onmouseout='doIMouseOut(169) '
onmouseover='doIMouseOver(24,1,169,29) '><a
href="javascript:to2Node(57)" id="c" class=menuA>Stemware<div
STYLE="position:absolute;left:0;top:6;"><a
href="javascript:to2Node(57)" class=menuA ></a></div></a></div>
<div id="cell170" STYLE="TOP:132px; cursor=hand;" CLASS=menu
onmouseout='doIMouseOut(170)'
onmouseover='doIMouseOver(25,1,170,29)'><a
href="javascript:to2Node(600)" id="c" class=menuA>Barware<div
STYLE="position:absolute;left:0;top:6;"><a
href="javascript:to2Node(600)" class=menuA ></a></div></a></div>
<div id="cell171" STYLE="TOP:154px; cursor=hand;" CLASS=menu
onmouseout='doIMouseOut(171)'
onmouseover='doIMouseOver(26,1,171,29)'><a
href="javascript:to2Node(512)" id="c" class=menuA>Fine Giftware<div
STYLE="position:absolute;left:0;top:6;"><a
href="javascript:to2Node(512)" class=menuA ></a></div></a></div>
<div id="cell172" STYLE="TOP:176px; cursor=hand;" CLASS=menu
onmouseout='doIMouseOut(172)'
onmouseover='doIMouseOver(27,1,172,29)'><a
href="javascript:to2Node(61)" id="c" class=menuA>Entertaining<div
STYLE="position:absolute;left:0;top:6;"><a
href="javascript:to2Node(61)" class=menuA ></a></div></a></div>
<div id="cell173" STYLE="TOP:198px; cursor=hand;" CLASS=menu
onmouseout='doIMouseOut(173)'
onmouseover='doIMouseOver(28,1,173,29)'><a
href="javascript:to2Node(62)" id="c"
class=menuA>Tablecloth/Placemats<div
STYLE="position:absolute;left:0;top:6;"><a
href="javascript:to2Node(62)" class=menuA ></a></div></a></div>
<div id="cell174" STYLE="TOP:220px;" CLASS=menu
onmouseout='doIMouseOut(1)' onmouseover='doTMouseOver(1,174,29)'><a
href="javascript:to2Style(472)" id="c" class=menuA>Napkin Rings</a></div>
<div id="cell175" STYLE="TOP:242px;" CLASS=menu
onmouseout='doIMouseOut(1)' onmouseover='doTMouseOver(1,175,29)'><a
href="javascript:to2Style(569)" id="c" class=menuA>Clearance</a></div>
</DIV>
<DIV id="s030" CLASS=menu STYLE="visibility:hidden; TOP:114px; HEIGHT:
113px; LEFT: 323px; POSITION: absolute; Z-INDEX: 200">
<!-- menuname='Furniture Covers' Num=5 subInc=22 -->
<div id="cell176" STYLE="TOP:0px;" CLASS=menu
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,176,30)'><a
href="javascript:to2Style(474)" id="c" class=menuA>Slipcovers</a></div>
<div id="cell177" STYLE="TOP:22px;" CLASS=menu
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,177,30)'><a
href="javascript:to2Style(580)" id="c" class=menuA>Recliner Covers</a></div>
<div id="cell1178" STYLE="TOP:44px;" CLASS=menu
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,178,30)'><a
href="javascript:to2Style(598)" id="c" class=menuA>Specialty Sizes</a></div>
<div id="cell1179" STYLE="TOP:66px;" CLASS=menu
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,179,30)'><a
href="javascript:to2Style(599)" id="c" class=menuA>Dining Chair
Covers</a></div>
<div id="cell1180" STYLE="TOP:88px;" CLASS=menu
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,180,30)'><a
href="javascript:to2Style(473)" id="c" class=menuA>Chairpad/Barstool
Covers</a></div>
</DIV>
<DIV id="s031" CLASS=menu STYLE="visibility:hidden; TOP:136px; HEIGHT:
113px; LEFT: 323px; POSITION: absolute; Z-INDEX: 200">
<!-- menuname='Lamps' Num=5 subInc=22 -->
<div id="cell1181" STYLE="TOP:0px;" CLASS=menu
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,181,31)'><a
href="javascript:to2Style(384)" id="c" class=menuA>Table Lamps</a></div>
<div id="cell1182" STYLE="TOP:22px;" CLASS=menu
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,182,31)'><a
href="javascript:to2Style(385)" id="c" class=menuA>Floor Lamps</a></div>
<div id="cell1183" STYLE="TOP:44px;" CLASS=menu
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,183,31)'><a
href="javascript:to2Style(576)" id="c" class=menuA>Desk Lamps</a></div>
<div id="cell1184" STYLE="TOP:66px;" CLASS=menu
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,184,31)'><a
href="javascript:to2Style(486)" id="c" class=menuA>Sconces</a></div>
<div id="cell1185" STYLE="TOP:88px;" CLASS=menu
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,185,31)'><a
href="javascript:to2Style(558)" id="c" class=menuA>Mix & Match</a></div>
</DIV>
<DIV id="s032" CLASS=menu STYLE="visibility:hidden; TOP:224px; HEIGHT:
135px; LEFT: 323px; POSITION: absolute; Z-INDEX: 200">
<!-- menuname='Window Treatments' Num=6 subInc=22 -->
<div id="cell1186" STYLE="TOP:0px;" CLASS=menu
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,186,32)'><a
href="javascript:to2Style(128)" id="c" class=menuA>Panels</a></div>
<div id="cell1187" STYLE="TOP:22px;" CLASS=menu
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,187,32)'><a
href="javascript:to2Style(129)" id="c" class=menuA>Sheers</a></div>
<div id="cell188" STYLE="TOP:44px;" CLASS=menu
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,188,32) '><a
href="javascript:to2Style(198)" id="c" class=menuA>Kitchen Tiers</a></div>
<div id="cell189" STYLE="TOP:66px;" CLASS=menu
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,189,32) '><a
href="javascript:to2Style(603)" id="c" class=menuA>Valances</a></div>
<div id="cell190" STYLE="TOP:88px;" CLASS=menu
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,190,32) '><a
href="javascript:to2Style(130)" id="c" class=menuA>Specialty</a></div>
<div id="cell191" STYLE="TOP:110px;" CLASS=menu
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,191,32) '><a
href="javascript:to2Style(131)" id="c" class=menuA>Hardware /
Accessories</a></div>
</DIV>
<DIV id="s033" CLASS=menu STYLE="visibility:hidden; TOP:246px; HEIGHT:
91px; LEFT: 323px; POSITION: absolute; Z-INDEX: 200">
<!-- menuname='Wall Decor' Num=4 subInc=22 -->
<div id="cell192" STYLE="TOP:0px;" CLASS=menu
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,192,33) '><a
href="javascript:to2Style(442)" id="c" class=menuA>Sconces/Ledges</a></div>
<div id="cell193" STYLE="TOP:22px;" CLASS=menu
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,193,33) '><a
href="javascript:to2Style(443)" id="c" class=menuA>Posters</a></div>
<div id="cell194" STYLE="TOP:44px;" CLASS=menu
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,194,33) '><a
href="javascript:to2Style(567)" id="c" class=menuA>Wall Art</a></div>
<div id="cell195" STYLE="TOP:66px;" CLASS=menu
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,195,33) '><a
href="javascript:to2Style(566)" id="c" class=menuA>Tapestries</a></div>
</DIV>
<DIV id="s034" CLASS=menu STYLE="visibility:hidden; TOP:268px; HEIGHT:
47px; LEFT: 323px; POSITION: absolute; Z-INDEX: 200">
<!-- menuname='Clocks' Num=2 subInc=22 -->
<div id="cell196" STYLE="TOP:0px;" CLASS=menu
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,196,34) '><a
href="javascript:to2Style(390)" id="c" class=menuA>Wall Clocks</a></div>
<div id="cell197" STYLE="TOP:22px;" CLASS=menu
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,197,34) '><a
```

```

href="javascript:to2Style(391)" id="c" class=menupA>Table Clocks</a></div>
</DIV>
<DIV id="s035" CLASS=menu STYLE="visibility:hidden; TOP:290px; HEIGHT:
91px; LEFT: 323px; POSITION: absolute; Z-INDEX: 200">
<!-- menuname='Frames' Num=4 subInc=22 -->
<div id="cell198" STYLE="TOP:0px;" CLASS=menup
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,198,35) '><a
href="javascript:to2Style(88)" id="c" class=menupA>Frames</a></div>
<div id="cell199" STYLE="TOP:22px;" CLASS=menup
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,199,35) '><a
href="javascript:to2Style(577)" id="c" class=menupA>Special
Occasion</a></div>
<div id="cell200" STYLE="TOP:44px;" CLASS=menup
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,200,35) '><a
href="javascript:to2Style(410)" id="c" class=menupA>Collages</a></div>
<div id="cell201" STYLE="TOP:66px;" CLASS=menup
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,201,35) '><a
href="javascript:to2Style(89)" id="c" class=menupA>Photo Albums</a></div>
</DIV>
<DIV id="s036" CLASS=menu STYLE="visibility:hidden; TOP:334px; HEIGHT:
69px; LEFT: 323px; POSITION: absolute; Z-INDEX: 200">
<!-- menuname='Accessories' Num=3 subInc=22 -->
<div id="cell202" STYLE="TOP:0px;" CLASS=menup
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,202,36) '><a
href="javascript:to2Style(192)" id="c" class=menupA>Home
Accessories</a></div>
<div id="cell203" STYLE="TOP:22px;" CLASS=menup
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,203,36) '><a
href="javascript:to2Style(193)" id="c" class=menupA>Office
Accessories</a></div>
<div id="cell204" STYLE="TOP:44px;" CLASS=menup
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,204,36) '><a
href="javascript:to2Style(573)" id="c" class=menupA>College Logo
Decor</a></div>
</DIV>
<DIV id="s037" CLASS=menu STYLE="visibility:hidden; TOP:356px; HEIGHT:
69px; LEFT: 323px; POSITION: absolute; Z-INDEX: 200">
<!-- menuname='Candles' Num=3 subInc=22 -->
<div id="cell205" STYLE="TOP:0px;" CLASS=menup
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,205,37) '><a
href="javascript:to2Style(85)" id="c" class=menupA>Candles</a></div>
<div id="cell206" STYLE="TOP:22px;" CLASS=menup
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,206,37) '><a

```

```

href="javascript:to2Style(86)" id="c" class=menuA>Holders</a></div>
<div id="cell207" STYLE="TOP:44px;" CLASS=menuP
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,207,37) '><a
href="javascript:to2Style(596)" id="c" class=menuA>Wall Sconces</a></div>
</DIV>
<!-- menuname='Home Decor' Num=14 primInc=22 -->
<DIV id="s038" CLASS=menu STYLE="visibility:hidden; TOP:114px; HEIGHT:
311px; LEFT: 135px; POSITION: absolute; Z-INDEX: 194">
<div id="cell208" STYLE="TOP:0px; cursor=hand;" CLASS=menuP
onmouseout='doIMouseOut(208)'
onmouseover='doIMouseOver(30,1,208,38) '><a
href="javascript:to2Node(98)" id="c" class=menuA>Furniture Covers<div
STYLE="position:absolute;left:0;top:6;"><a
href="javascript:to2Node(98)" class=menuA ></a></div></a></div>
<div id="cell209" STYLE="TOP:22px; cursor=hand;" CLASS=menuP
onmouseout='doIMouseOut(209)'
onmouseover='doIMouseOver(31,1,209,38) '><a
href="javascript:to2Node(91)" id="c" class=menuA>Lamps<div
STYLE="position:absolute;left:0;top:6;"><a
href="javascript:to2Node(91)" class=menuA ></a></div></a></div>
<div id="cell210" STYLE="TOP:44px;" CLASS=menuP
onmouseout='doIMouseOut(1)' onmouseover='doTMouseOver(1,210,38) '><a
href="javascript:to2Style(99)" id="c" class=menuA>Throws/Toss
Pillows</a></div>
<div id="cell211" STYLE="TOP:66px;" CLASS=menuP
onmouseout='doIMouseOut(1)' onmouseover='doTMouseOver(1,211,38) '><a
href="javascript:to2Style(199)" id="c" class=menuA>Accent Rugs</a></div>
<div id="cell212" STYLE="TOP:88px;" CLASS=menuP
onmouseout='doIMouseOut(1)' onmouseover='doTMouseOver(1,212,38) '><a
href="javascript:to2Style(52)" id="c" class=menuA>Doormats</a></div>
<div id="cell213" STYLE="TOP:110px; cursor=hand;" CLASS=menuP
onmouseout='doIMouseOut(213)'
onmouseover='doIMouseOver(32,1,213,38) '><a
href="javascript:to2Node(94)" id="c" class=menuA>Window Treatments<div
STYLE="position:absolute;left:0;top:6;"><a
href="javascript:to2Node(94)" class=menuA ></a></div></a></div>
<div id="cell214" STYLE="TOP:132px; cursor=hand;" CLASS=menuP
onmouseout='doIMouseOut(214)'
onmouseover='doIMouseOver(33,1,214,38) '><a
href="javascript:to2Node(190)" id="c" class=menuA>Wall Decor<div
STYLE="position:absolute;left:0;top:6;"><a
href="javascript:to2Node(190)" class=menuA ></a></div></a></div>
<div id="cell215" STYLE="TOP:154px; cursor=hand;" CLASS=menup
onmouseout='doIMouseOut(215)'
onmouseover='doIMouseOver(34,1,215,38)'><a
href="javascript:to2Node(92)" id="c" class=menupA>Clocks<div
STYLE="position:absolute;left:0;top:6;"><a
href="javascript:to2Node(92)" class=menupA ></a></div></a></div>
<div id="cell216" STYLE="TOP:176px; cursor=hand;" CLASS=menup
onmouseout='doIMouseOut(216)'
onmouseover='doIMouseOver(35,1,216,38)'><a
href="javascript:to2Node(87)" id="c" class=menupA>Frames<div
STYLE="position:absolute;left:0;top:6;"><a
href="javascript:to2Node(87)" class=menupA ></a></div></a></div>
<div id="cell217" STYLE="TOP:198px;" CLASS=menup
onmouseout='doIMouseOut(1)' onmouseover='doTMouseOver(1,217,38)'><a
href="javascript:to2Style(191)" id="c" class=menupA>Fountains</a></div>
<div id="cell218" STYLE="TOP:220px; cursor=hand;" CLASS=menup
onmouseout='doIMouseOut(218)'
onmouseover='doIMouseOver(36,1,218,38)'><a
href="javascript:to2Node(100)" id="c" class=menupA>Accessories<div
STYLE="position:absolute;left:0;top:6;"><a
href="javascript:to2Node(100)" class=menupA ></a></div></a></div>
<div id="cell219" STYLE="TOP:242px; cursor=hand;" CLASS=menup
onmouseout='doIMouseOut(219)'
onmouseover='doIMouseOver(37,1,219,38)'><a
href="javascript:to2Node(84)" id="c" class=menupA>Candles<div
STYLE="position:absolute;left:0;top:6;"><a
href="javascript:to2Node(84)" class=menupA ></a></div></a></div>
<div id="cell220" STYLE="TOP:264px;" CLASS=menup
onmouseout='doIMouseOut(1)' onmouseover='doTMouseOver(1,220,38)'><a
href="javascript:to2Style(402)" id="c" class=menupA>Wallpaper</a></div>
<div id="cell221" STYLE="TOP:286px;" CLASS=menup
onmouseout='doIMouseOut(1)' onmouseover='doTMouseOver(1,221,38)'><a
href="javascript:to2Style(570)" id="c" class=menupA>Clearance</a></div>
</DIV>
<DIV id="s039" CLASS=menu STYLE="visibility:hidden; TOP:180px; HEIGHT:
245px; LEFT: 323px; POSITION: absolute; Z-INDEX: 200">
<!-- menuname='Kitchen Electrics' Num=11 subInc=22 -->
<div id="cell222" STYLE="TOP:0px;" CLASS=menup
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,222,39)'><a
href="javascript:to2Style(69)" id="c" class=menupA>Coffee<img vspace=0
align=top src="/img/i.gif;pvf77f23b85f2082b6" width=18 height=17

```



```

border=0></a></div>
<div id="cell223" STYLE="TOP:22px;" CLASS=menu
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,223,39)'><a
href="javascript:to2Style(278)" id="c" class=menuA>Espresso</a></div>
<div id="cell224" STYLE="TOP:44px;" CLASS=menu
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,224,39)'><a
href="javascript:to2Style(446)" id="c" class=menuA>Carafes/Filters</a></div>
<div id="cell225" STYLE="TOP:66px;" CLASS=menu
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,225,39)'><a
href="javascript:to2Style(72)" id="c" class=menuA>Cooking
Electrics</a></div>
<div id="cell226" STYLE="TOP:88px;" CLASS=menu
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,226,39)'><a
href="javascript:to2Style(70)" id="c" class=menuA>Toaster/Ovens</a></div>
<div id="cell227" STYLE="TOP:110px;" CLASS=menu
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,227,39)'><a
href="javascript:to2Style(436)" id="c" class=menuA>Blenders</a></div>
<div id="cell228" STYLE="TOP:132px;" CLASS=menu
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,228,39)'><a
href="javascript:to2Style(435)" id="c" class=menuA>Food Processors</a></div>
<div id="cell229" STYLE="TOP:154px;" CLASS=menu
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,229,39)'><a
href="javascript:to2Style(437)" id="c" class=menuA>Hand/Stand
Mixers</a></div>
<div id="cell230" STYLE="TOP:176px;" CLASS=menu
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,230,39)'><a
href="javascript:to2Style(471)" id="c" class=menuA>Can Openers</a></div>
<div id="cell231" STYLE="TOP:198px;" CLASS=menu
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,231,39)'><a
href="javascript:to2Style(438)" id="c"
class=menuA>Slicers/Grinders</a></div>
<div id="cell232" STYLE="TOP:220px;" CLASS=menu
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,232,39)'><a
href="javascript:to2Style(73)" id="c" class=menuA>Specialty
Electrics</a></div>
</DIV>
<DIV id="s040" CLASS=menu STYLE="visibility:hidden; TOP:290px; HEIGHT:
91px; LEFT: 323px; POSITION: absolute; Z-INDEX: 200">
<!-- menuname='Personal Care' Num=4 subInc=22 -->
<div id="cell233" STYLE="TOP:0px;" CLASS=menu

```

```

onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,233,40) '><a
href="javascript:to2Style(75)" id="c" class=menupA>Dental</a></div>
<div id="cell234" STYLE="TOP:22px;" CLASS=menup
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,234,40) '><a
href="javascript:to2Style(76)" id="c" class=menupA>Hair/Face</a></div>
<div id="cell235" STYLE="TOP:44px;" CLASS=menup
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,235,40) '><a
href="javascript:to2Style(77)" id="c" class=menupA>Massage</a></div>
<div id="cell236" STYLE="TOP:66px;" CLASS=menup
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,236,40) '><a
href="javascript:to2Style(78)" id="c" class=menupA>Specialty</a></div>
</DIV>
<DIV id="s041" CLASS=menu STYLE="visibility:hidden; TOP:312px; HEIGHT:
47px; LEFT: 323px; POSITION: absolute; Z-INDEX: 200">
<!-- menuname='Seasonal Electrics' Num=2 subInc=22 -->
<div id="cell237" STYLE="TOP:0px;" CLASS=menup
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,237,41) '><a
href="javascript:to2Style(82)" id="c" class=menupA>Air
Purifiers/Humidifiers</a></div>
<div id="cell238" STYLE="TOP:22px;" CLASS=menup
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,238,41) '><a
href="javascript:to2Style(81)" id="c" class=menupA>Fans/Heaters</a></div>
</DIV>
<!-- menuname='Electrics' Num=5 primInc=22 -->
<DIV id="s042" CLASS=menu STYLE="visibility:hidden; TOP:246px; HEIGHT:
113px; LEFT: 135px; POSITION: absolute; Z-INDEX: 194">
<div id="cell239" STYLE="TOP:0px; cursor=hand;" CLASS=menup
onmouseout='doIMouseOut(239) '
onmouseover='doIMouseOver(39,1,239,42) '><a
href="javascript:to2Node(68)" id="c" class=menupA>Kitchen Electrics<div
STYLE="position:absolute;left:0;top:6;"><a
href="javascript:to2Node(68)" class=menupA ></a></div></a></div>
<div id="cell240" STYLE="TOP:22px;" CLASS=menup
onmouseout='doIMouseOut(1) ' onmouseover='doTMouseOver(1,240,42) '><a
href="javascript:to2Style(393)" id="c" class=menupA>Irons</a></div>
<div id="cell241" STYLE="TOP:44px; cursor=hand;" CLASS=menup
onmouseout='doIMouseOut(241) '
onmouseover='doIMouseOver(40,1,241,42) '><a
href="javascript:to2Node(74)" id="c" class=menupA>Personal Care<div
STYLE="position:absolute;left:0;top:6;"><a
href="javascript:to2Node(74)" class=menupA ></a></div></a></div>
<div id="cell242" STYLE="TOP:66px; cursor=hand;" CLASS=menu
onmouseout='doIMouseOut(242) '
onmouseover='doIMouseOver(41,1,242,42) '><a
href="javascript:to2Node(80)" id="c" class=menuA>Seasonal
Electrics<div STYLE="position:absolute;left:0;top:6;"><a
href="javascript:to2Node(80)" class=menuA ></a></div></a></div>
<div id="cell243" STYLE="TOP:88px;" CLASS=menu
onmouseout='doIMouseOut(1) ' onmouseover='doTMouseOver(1,243,42) '><a
href="javascript:to2Style(79)" id="c" class=menuA>Vacuums</a></div>
</DIV>
<!-- menuname='Organization' Num=10 primInc=22 -->
<DIV id="s043" CLASS=menu STYLE="visibility:hidden; TOP:202px; HEIGHT:
223px; LEFT: 135px; POSITION: absolute; Z-INDEX: 194">
<div id="cell244" STYLE="TOP:0px;" CLASS=menu
onmouseout='doIMouseOut(1) ' onmouseover='doTMouseOver(1,244,43) '><a
href="javascript:to2Style(528)" id="c" class=menuA>Luggage</a></div>
<div id="cell245" STYLE="TOP:22px;" CLASS=menu
onmouseout='doIMouseOut(1) ' onmouseover='doTMouseOver(1,245,43) '><a
href="javascript:to2Style(303)" id="c" class=menuA>Garment Storage</a></div>
<div id="cell246" STYLE="TOP:44px;" CLASS=menu
onmouseout='doIMouseOut(1) ' onmouseover='doTMouseOver(1,246,43) '><a
href="javascript:to2Style(302)" id="c" class=menuA>Shoe Racks</a></div>
<div id="cell247" STYLE="TOP:66px;" CLASS=menu
onmouseout='doIMouseOut(1) ' onmouseover='doTMouseOver(1,247,43) '><a
href="javascript:to2Style(50)" id="c" class=menuA>Hangers/Hooks</a></div>
<div id="cell248" STYLE="TOP:88px;" CLASS=menu
onmouseout='doIMouseOut(1) ' onmouseover='doTMouseOver(1,248,43) '><a
href="javascript:to2Style(51)" id="c" class=menuA>Storage
Accessories</a></div>
<div id="cell249" STYLE="TOP:110px;" CLASS=menu
onmouseout='doIMouseOut(1) ' onmouseover='doTMouseOver(1,249,43) '><a
href="javascript:to2Style(304)" id="c" class=menuA>China
Protectors</a></div>
<div id="cell250" STYLE="TOP:132px;" CLASS=menu
onmouseout='doIMouseOut(1) ' onmouseover='doTMouseOver(1,250,43) '><a
href="javascript:to2Style(79)" id="c" class=menuA>Vacuums</a></div>
<div id="cell251" STYLE="TOP:154px;" CLASS=menu
onmouseout='doIMouseOut(1) ' onmouseover='doTMouseOver(1,251,43) '><a
href="javascript:to2Style(53)" id="c" class=menuA>Cleaning/Trash</a></div>
<div id="cell252" STYLE="TOP:176px;" CLASS=menu
onmouseout='doIMouseOut(1)' onmouseover='doTMouseOver(1,252,43)'><a
href="javascript:to2Style(389)" id="c" class=menuA>Laundry</a></div>
<div id="cell253" STYLE="TOP:198px;" CLASS=menu
onmouseout='doIMouseOut(1)' onmouseover='doTMouseOver(1,253,43)'><a
href="javascript:to2Style(54)" id="c" class=menuA>Utility</a></div>
</DIV>
<DIV id="s044" CLASS=menu STYLE="visibility:hidden; TOP:290px; HEIGHT:
113px; LEFT: 323px; POSITION: absolute; Z-INDEX: 200">
<!-- menuname='Holiday 2004' Num=5 subInc=22 -->
<div id="cell254" STYLE="TOP:0px;" CLASS=menu
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,254,44)'><a
href="javascript:to2Style(453)" id="c" class=menuA>Holiday Table</a></div>
<div id="cell255" STYLE="TOP:22px;" CLASS=menu
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,255,44)'><a
href="javascript:to2Style(456)" id="c" class=menuA>Serve in Style</a></div>
<div id="cell256" STYLE="TOP:44px;" CLASS=menu
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,256,44)'><a
href="javascript:to2Style(452)" id="c" class=menuA>Holiday Decor</a></div>
<div id="cell257" STYLE="TOP:66px;" CLASS=menu
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,257,44)'><a
href="javascript:to2Style(581)" id="c" class=menuA>Gourmet Gifts</a></div>
<div id="cell258" STYLE="TOP:88px;" CLASS=menu
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,258,44)'><a
href="javascript:to2Style(288)" id="c" class=menuA>Hanukkah</a></div>
</DIV>
<DIV id="s045" CLASS=menu STYLE="visibility:hidden; TOP:334px; HEIGHT:
47px; LEFT: 323px; POSITION: absolute; Z-INDEX: 200">
<!-- menuname='Seasonal Electrics' Num=2 subInc=22 -->
<div id="cell259" STYLE="TOP:0px;" CLASS=menu
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,259,45)'><a
href="javascript:to2Style(82)" id="c" class=menuA>Air
Purifiers/Humidifiers</a></div>
<div id="cell260" STYLE="TOP:22px;" CLASS=menu
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,260,45)'><a
href="javascript:to2Style(81)" id="c" class=menuA>Fans/Heaters</a></div>
</DIV>

```

```

<!-- menuname='Seasonal' Num=3 primInc=22 -->
<DIV id="s046" CLASS=menu STYLE="visibility:hidden; TOP:290px; HEIGHT:
69px; LEFT: 135px; POSITION: absolute; Z-INDEX: 194">
<div id="cell261" STYLE="TOP:0px; cursor=hand;" CLASS=menup
onmouseout='doIMouseOut(261) '
onmouseover='doIMouseOver(44,1,261,46) '><a
href="javascript:to2Node(120)" id="c" class=menupA>Holiday 2004<div
STYLE="position:absolute;left:0;top:6;"><a
href="javascript:to2Node(120)" class=menupA ></a></div></a></div>
<div id="cell262" STYLE="TOP:22px;" CLASS=menup
onmouseout='doIMouseOut(1) ' onmouseover='doTMouseOver(1,262,46) '><a
href="javascript:to2Style(123)" id="c" class=menupA>Summer</a></div>
<div id="cell263" STYLE="TOP:44px; cursor=hand;" CLASS=menup
onmouseout='doIMouseOut(263) '
onmouseover='doIMouseOver(45,1,263,46) '><a
href="javascript:to2Node(80)" id="c" class=menupA>Seasonal
Electrics<div STYLE="position:absolute;left:0;top:6;"><a
href="javascript:to2Node(80)" class=menupA ></a></div></a></div>
</DIV>
<DIV id="s047" CLASS=menu STYLE="visibility:hidden; TOP:158px; HEIGHT:
69px; LEFT: 323px; POSITION: absolute; Z-INDEX: 200">
<!-- menuname='Nautica' Num=3 subInc=22 -->
<div id="cell264" STYLE="TOP:0px;" CLASS=menup
onmouseout='doIMouseOut(2) ' onmouseover='doTMouseOver(2,264,47) '><a
href="javascript:to2Style(491)" id="c" class=menupA>Bedding</a></div>
<div id="cell265" STYLE="TOP:22px;" CLASS=menup
onmouseout='doIMouseOut(2) ' onmouseover='doTMouseOver(2,265,47) '><a
href="javascript:to2Style(492)" id="c" class=menupA>Bath</a></div>
<div id="cell266" STYLE="TOP:44px;" CLASS=menup
onmouseout='doIMouseOut(2) ' onmouseover='doTMouseOver(2,266,47) '><a
href="javascript:to2Style(493)" id="c" class=menupA>Tabletop</a></div>
</DIV>
<DIV id="s048" CLASS=menu STYLE="visibility:hidden; TOP:180px; HEIGHT:
47px; LEFT: 323px; POSITION: absolute; Z-INDEX: 200">
<!-- menuname='B. Smith' Num=2 subInc=22 -->
<div id="cell267" STYLE="TOP:0px;" CLASS=menup
onmouseout='doIMouseOut(2) ' onmouseover='doTMouseOver(2,267,48) '><a
href="javascript:to2Style(489)" id="c" class=menupA>Bedding</a></div>
<div id="cell268" STYLE="TOP:22px;" CLASS=menup
onmouseout='doIMouseOut(2) ' onmouseover='doTMouseOver(2,268,48) '><a
href="javascript:to2Style(563)" id="c" class=menupA>Home
Furnishings</a></div>

```

```

</DIV>
<DIV id="s049" CLASS=menu STYLE="visibility:hidden; TOP:268px; HEIGHT:
135px; LEFT: 323px; POSITION: absolute; Z-INDEX: 200">
<!-- menuname='Bridal' Num=6 subInc=22 -->
<div id="cell269" STYLE="TOP:0px;" CLASS=menup
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,269,49) '><a
href="javascript:to2Style(609)" id="c" class=menupA>Keepsakes</a></div>
<div id="cell270" STYLE="TOP:22px;" CLASS=menup
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,270,49) '><a
href="javascript:to2Style(607)" id="c" class=menupA>Albums</a></div>
<div id="cell271" STYLE="TOP:44px;" CLASS=menup
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,271,49) '><a
href="javascript:to2Style(606)" id="c" class=menupA>Frames</a></div>
<div id="cell272" STYLE="TOP:66px;" CLASS=menup
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,272,49) '><a
href="javascript:to2Style(610)" id="c" class=menupA>Attendants
Gifts</a></div>
<div id="cell273" STYLE="TOP:88px;" CLASS=menup
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,273,49) '><a
href="javascript:to2Style(608)" id="c" class=menupA>Favors</a></div>
<div id="cell274" STYLE="TOP:110px;" CLASS=menup
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,274,49) '><a
href="javascript:to2Style(672)" id="c" class=menupA>Books</a></div>
</DIV>
<DIV id="s050" CLASS=menu STYLE="visibility:hidden; TOP:356px; HEIGHT:
69px; LEFT: 323px; POSITION: absolute; Z-INDEX: 200">
<!-- menuname='Travel' Num=3 subInc=22 -->
<div id="cell275" STYLE="TOP:0px;" CLASS=menup
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,275,50) '><a
href="javascript:to2Style(528)" id="c" class=menupA>Luggage</a></div>
<div id="cell276" STYLE="TOP:22px;" CLASS=menup
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,276,50) '><a
href="javascript:to2Style(529)" id="c" class=menupA>Travel
Accessories</a></div>
<div id="cell277" STYLE="TOP:44px;" CLASS=menup
onmouseout='doIMouseOut(2)' onmouseover='doTMouseOver(2,277,50) '><a
href="javascript:to2Style(530)" id="c" class=menupA>Auto
Accessories</a></div>
</DIV>
<!-- menuname='Specialty Shops' Num=12 primInc=22 -->
<DIV id="s051" CLASS=menu STYLE="visibility:hidden; TOP:158px; HEIGHT:
267px; LEFT: 135px; POSITION: absolute; Z-INDEX: 194">

```

```

<div id="cell278" STYLE="TOP:0px; cursor=hand;" CLASS=menu
onmouseout='doIMouseOut(278)'
onmouseover='doIMouseOver(47,1,278,51)'><a
href="javascript:to2Node(268)" id="c" class=menuA>Nautica<div
STYLE="position:absolute;left:0;top:6;"><a
href="javascript:to2Node(268)" class=menuA ></a></div></a></div>
<div id="cell279" STYLE="TOP:22px; cursor=hand;" CLASS=menu
onmouseout='doIMouseOut(279)'
onmouseover='doIMouseOver(48,1,279,51)'><a
href="javascript:to2Node(379)" id="c" class=menuA>B. Smith<div
STYLE="position:absolute;left:0;top:6;"><a
href="javascript:to2Node(379)" class=menuA ></a></div></a></div>
<div id="cell280" STYLE="TOP:44px;" CLASS=menu
onmouseout='doIMouseOut(1)' onmouseover='doTMouseOver(1,280,51)'><a
href="javascript:to2Style(594)" id="c" class=menuA>Nicole Miller</a></div>
<div id="cell281" STYLE="TOP:66px;" CLASS=menu
onmouseout='doIMouseOut(1)' onmouseover='doTMouseOver(1,281,51)'><a
href="javascript:to2Style(593)" id="c" class=menuA>Liz Claiborne</a></div>
<div id="cell282" STYLE="TOP:88px;" CLASS=menu
onmouseout='doIMouseOut(1)' onmouseover='doTMouseOver(1,282,51)'><a
href="javascript:to2Style(494)" id="c" class=menuA>Hotel</a></div>
<div id="cell283" STYLE="TOP:110px; cursor=hand;" CLASS=menu
onmouseout='doIMouseOut(283)'
onmouseover='doIMouseOver(49,1,283,51)'><a
href="javascript:to2Node(279)" id="c" class=menuA>Bridal<div
STYLE="position:absolute;left:0;top:6;"><a
href="javascript:to2Node(279)" class=menuA ></a></div></a></div>
<div id="cell284" STYLE="TOP:132px;" CLASS=menu
onmouseout='doIMouseOut(1)' onmouseover='doTMouseOver(1,284,51)'><a
href="javascript:to2Style(113)" id="c" class=menuA>Books</a></div>
<div id="cell285" STYLE="TOP:154px;" CLASS=menu
onmouseout='doIMouseOut(1)' onmouseover='doTMouseOver(1,285,51)'><a
href="javascript:to2Style(557)" id="c" class=menuA>Games & Gadgets</a></div>
<div id="cell286" STYLE="TOP:176px;" CLASS=menu
onmouseout='doIMouseOut(1)' onmouseover='doTMouseOver(1,286,51)'><a
href="javascript:to2Style(495)" id="c" class=menuA>Allergy</a></div>
<div id="cell287" STYLE="TOP:198px; cursor=hand;" CLASS=menu
onmouseout='doIMouseOut(287)'
onmouseover='doIMouseOver(50,1,287,51)'><a

```

```

href="javascript:to2Node(301)" id="c" class=menupA>Travel<div
STYLE="position:absolute;left:0;top:6;"><a
href="javascript:to2Node(301)" class=menupA ></a></div></a></div>
<div id="cell288" STYLE="TOP:220px;" CLASS=menup
onmouseout='doIMouseOut(1)' onmouseover='doTMouseOver(1,288,51) '><a
href="javascript:to2Style(200)" id="c" class=menupA>As Seen On TV</a></div>
<div id="cell289" STYLE="TOP:242px;" CLASS=menup
onmouseout='doIMouseOut(1)' onmouseover='doTMouseOver(1,289,51) '><a
href="javascript:to2Style(612)" id="c" class=menupA>Baby Keepsakes</a></div>
</DIV>

```

```

<table cellpadding="0" cellspacing="0" border="0" width="779"><form
name="search_prod" action="" method="post" onsubmit="return go()">
  <tr>
    <td width="318" valign="top">
      <table cellpadding="0" cellspacing="0" border="0">
        <tr>
          <td colspan="2"><input type=hidden
name="version" value="Version 2.013"></td>
          <td></td>
          <td><a
href="http://www.bedbathandbeyond.com/default.asp?" ></a></td>
        </tr>
      </table>
    </td>
    <td width="461" valign="top" align="right">
      <table cellpadding="0" cellspacing="0" border="0">
        <tr>
          <td>
            <table cellpadding="0" cellspacing="0" border="0" width="100%">
              <tr>
                <td></td>
                <td bgcolor="#DCD8C0"
width="134"></td>
                <td
bgcolor="#5782BB"></td>
              </tr>
            </table>
          </td>
        </tr>
      </table>
    </td>
  </tr>
</table>

```



```
 </td>   </td>   <input type="text" style="width: 150px" size="10" name="search" value="enter keyword" onfocus=this.select();></td>   </td>   <input type="image" src="/img/btn_search.gif" width="49" height="17" alt="SEARCH" title="SEARCH" border="0" id="SEARCH" name="SEARCH"></td>  <td bgcolor="#DCD8C0" rowspan="3"></td>  <td></td>  <td> | | | | |
```





```

src="/img/globalicon_wishlist.gif;pv5cfd13b04340c128" width="19"
height="22" alt="Wish list" title="Wish list" border="0"></a></td>
<td>&nbsp;<a
href="http://www.bedbathandbeyond.com/wlWishList.asp?"
class="blue">Wish list</a></td>
<td></td>
<td><a
href="https://www.bedbathandbeyond.com/trackOrders.asp?"></a></td>
<td>&nbsp;<a
href="https://www.bedbathandbeyond.com/trackOrders.asp?"
class="blue">Track orders</a></td>
<td><a
href="http://www.bedbathandbeyond.com/showCart.asp?&retloc=default%2Easp&retarg="></a></td>
<td>&nbsp;<a
href="http://www.bedbathandbeyond.com/showCart.asp?&retloc=default%2Easp&retarg=" class="blue">Cart</a></td>
<td><a href="http://www.bedbathandbeyond.com/store_loc.asp?"
></a></td>
<td>&nbsp;<a
href="http://www.bedbathandbeyond.com/store_loc.asp?"
class="blue">Store locator</a></td>
<td></td>
<td><a
href="http://www.bedbathandbeyond.com/login.asp?" ></a></td>
<td>&nbsp;<a
href="http://www.bedbathandbeyond.com/login.asp?" class="blue">My
account</a></td>
<td></td>
</tr>
</table>
</td>
</tr>
</table>
</td>
</tr>
</form></table>
<!-- end header -->

```

```




<!-- tabs on top -->


|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |  |  |  |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|--|
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |  |  |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |  |  |  |
| <div style="text-align: center;"> <a href="http://www.bedbathandbeyond.com/default.asp?&amp;mc=1">  </a> </div> <div> <div> <a href="http://www.bedbathandbeyond.com/default.asp?">  </a> </div> <div> <a href="http://www.bedbathandbeyond.com/regHome.asp?">  </a> </div> <div> <a href="http://www.bedbathandbeyond.com/btsHome.asp?">  </a> </div> </div> |  |  |  |


<!-- end tabs -->

```

```


|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |  |                                                                                                                                                                    |                                                                                                                                                              |                                                                                                                                                             |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |  |                                                                                                                                                                    |                                                                                                                                                              |                                                                                                                                                             |
| <table border="0" cellpadding="0" cellspacing="0"> <tr> <td> <a href="http://www.bedbathandbeyond.com/entGiftSearch.asp?&amp;RN=583">  </a> </td> </tr> <tr> <td> <a href="http://www.bedbathandbeyond.com/nodePage.asp?&amp;RN=14">  </a> </td> </tr> <tr> <td> <a href="http://www.bedbathandbeyond.com/nodePage.asp?&amp;RN=1">  </a> </td> </tr> </table> |  | <a href="http://www.bedbathandbeyond.com/entGiftSearch.asp?&amp;RN=583">  </a> | <a href="http://www.bedbathandbeyond.com/nodePage.asp?&amp;RN=14">  </a> | <a href="http://www.bedbathandbeyond.com/nodePage.asp?&amp;RN=1">  </a> |
| <a href="http://www.bedbathandbeyond.com/entGiftSearch.asp?&amp;RN=583">  </a>                                                                                                                                                                                                                                                                                                                                                                                                                                                        |  |                                                                                                                                                                    |                                                                                                                                                              |                                                                                                                                                             |
| <a href="http://www.bedbathandbeyond.com/nodePage.asp?&amp;RN=14">  </a>                                                                                                                                                                                                                                                                                                                                                                                                                                                              |  |                                                                                                                                                                    |                                                                                                                                                              |                                                                                                                                                             |
| <a href="http://www.bedbathandbeyond.com/nodePage.asp?&amp;RN=1">  </a>                                                                                                                                                                                                                                                                                                                                                                                                                                                               |  |                                                                                                                                                                    |                                                                                                                                                              |                                                                                                                                                             |


```

```

href="http://www.bedbathandbeyond.com/nodePage.asp?&RN=102"
onMouseOver="doIMouseOver(19,0,-1);rollOver('kitchen');"
onmouseout="rolloff('kitchen');setClearTime()"kitchen'"
onMouseout="rolloff('kitchen') "></td></tr>
<tr><td><a
href="http://www.bedbathandbeyond.com/nodePage.asp?&RN=55"
onMouseOver="doIMouseOver(29,0,-1);rollOver('dining');"
onmouseout="rolloff('dining');setClearTime()"dining'"
onMouseout="rolloff('dining') "></td></tr>
<tr><td><a
href="http://www.bedbathandbeyond.com/nodePage.asp?&RN=83"
onMouseOver="doIMouseOver(38,0,-1);rollOver('homedecor');"
onmouseout="rolloff('homedecor');setClearTime()"homedecor'"
onMouseout="rolloff('homedecor') "></td></tr>
<tr><td><a
href="http://www.bedbathandbeyond.com/nodePage.asp?&RN=67"
onMouseOver="doIMouseOver(42,0,-1);rollOver('electrics');"
onmouseout="rolloff('electrics');setClearTime()"electrics'"
onMouseout="rolloff('electrics') "></td></tr>
<tr><td><a
href="http://www.bedbathandbeyond.com/nodePage.asp?&RN=48"
onMouseOver="doIMouseOver(43,0,-1);rollOver('organization');"
onmouseout="rolloff('organization');setClearTime()"organization'"
onMouseout="rolloff('organization') "></td></tr>
<tr><td><a
href="http://www.bedbathandbeyond.com/nodePage.asp?&RN=119"
onMouseOver="doIMouseOver(46,0,-1);rollOver('seasonal');"
onmouseout="rolloff('seasonal');setClearTime()"seasonal'"
onMouseout="rolloff('seasonal') "></td></tr>
<tr><td><a
href="http://www.bedbathandbeyond.com/nodePage.asp?&RN=488"
onMouseOver="doIMouseOver(51,0,-1);rollOver('specialtyshops');"
onmouseout="rolloff('specialtyshops');setClearTime()"specialtyshops'"
onMouseout="rolloff('specialtyshops') "></td></tr>
<tr><td bgcolor="#DCD8C0"></td></tr>
<tr><td><a
href="http://www.bedbathandbeyond.com/Redirect_GiftCards.asp?" ></a></td></tr>

```

```

        <tr><td bgcolor="#DCD8C0"
background="/img/i.gif;pvf77f23b85f2082b6"></td></tr>
    </table>
    <!-- end left nav -->
    </td>
    <td align="left" valign="top">
<table cellpadding="0" cellspacing="0" border="0">
    <tr>
        <td colspan="8" bgcolor="#DCD8C0"></td>
    </tr>
    <tr>
        <td rowspan="3">
            <table cellpadding=0 cellspacing=0 border=0>
                <tr>
                    <td></td>
                    </tr>
                    <tr>
                        <td><a
href="http://www.bedbathandbeyond.com/redirect_mainimg.asp?&SKU=104456"
></a></td>
                    </tr>
                    <tr>
                        <td><a
href="http://www.bedbathandbeyond.com/Product.asp?&SKU=13063010" ></a></td><td
bgcolor="#DCD8C0"></td><td width=130><a
href="http://www.bedbathandbeyond.com/Product.asp?&SKU=13323224" ></a></td><td
bgcolor="#DCD8C0"></td><td width=130><a
href="http://www.bedbathandbeyond.com/Product.asp?&SKU=104458" ></a></td><td bgcolor="#DCD8C0"></td>
                </tr>
            </table>
            <td colspan="6" bgcolor="#DCD8C0"></td>
</tr>
<tr>
<td width=130><a
href="http://www.bedbathandbeyond.com/Product.asp?&SKU=13062978" ></a></td><td bgcolor="#DCD8C0"></td><td
width=130><a
href="http://www.bedbathandbeyond.com/Product.asp?&SKU=105464" ></a></td><td bgcolor="#DCD8C0"></td><td
width=130><a
href="http://www.bedbathandbeyond.com/Product.asp?&SKU=105333" ></a></td><td bgcolor="#DCD8C0"></td>
</tr>
<tr>
<td colspan="8" bgcolor="#DCD8C0"></td>
</tr>
<tr>
<td><a
href="http://www.bedbathandbeyond.com/Redirect_CafeBeyond.asp?"></a></td>
<td bgcolor="#DCD8C0"></td>
<td><a
href="http://www.bedbathandbeyond.com/Redirect_Clearance.asp?"></a></td>
<td bgcolor="#DCD8C0"></td>
<td><a
href="http://www.bedbathandbeyond.com/Redirect_Calphalon.asp?"></a></td>
<td bgcolor="#DCD8C0"></td>
<td><a
href="http://www.bedbathandbeyond.com/Redirect_YankeeCandle.asp?&sku=10
3192"></a></td>
      <td bgcolor="#DCD8C0"></td>
    </tr>
  </table>
</td><td bgcolor="#DCD8C0"></td></tr>
</table>
<table cellpadding="0" cellspacing="0" border="0" width="779">
  <tr>
    <td colspan="8" bgcolor="#DCD8C0"></td>
  </tr>
  <tr>
    <td colspan="8" valign="top">
      <table cellpadding="0" cellspacing="0" border="0">
        <form name="optIn" action="/Default.asp?"
method="post">
          <tr>
            <td colspan="8"></td>
          </tr>
          <tr>
            <td colspan="8">
              <table cellpadding="0" cellspacing="0" border="0">
                <tr>
                  <td colspan="8" rowspan="2">
                    <table cellpadding="0" cellspacing="0" border="0">
                      <tr>
                        <td colspan="8" rowspan="2">
                          <input type="hidden"
name="email_signup" size="10" value="aBcD123">
                        <td colspan="8" rowspan="2">
                          </td>
                        <td colspan="8" rowspan="2">
                          <input
type="text" style="width: 150px" size="10" maxlength="50"
name="email_addr" value="enter your email address"
onfocus=this.select();><br>
                        <td colspan="8"><FONT SIZE=-1
FACE="Geneva, Arial, Verdana, Helvetica, sans-serif"></font>
                        <td colspan="8"><td colspan="8" rowspan="2">
                          </td>
                        <td colspan="8" rowspan="2">
                          <br><input type="image" name="SUBMIT"
src="/img/btn_submit.gif" width="49" height="17" alt="SUBMIT"
title="SUBMIT" border="0"></td>
                      </tr>
                      <tr>
                        <td colspan="8"></td>
                      </tr>
                    </table>
                  </td>
                </tr>
              </table>
            </td>
          </tr>
        </form>
      </td>
    </tr>
  </table>

```

```

                                <tr>
                                <td colspan="4"
background="" valign="top"><a
href="http://www.bedbathandbeyond.com/rdPolicyPrivacy.asp?"
class="blue">Privacy policy</a></td>
                                </tr>
                                </table>
                                </td>
                                </tr>
                                </form></table>
                                </td>
                                <td bgcolor="#F4EDE1" valign="top">
                                <table cellspacing="0" cellpadding="0" border="0">
                                <tr>
                                <td valign="top" colspan="3"></td>
                                </tr>
                                <tr>
                                <td bgcolor="#F4EDE1"></td>
                                <td bgcolor="#F4EDE1"></td>
                                <td bgcolor="#F4EDE1"></td>
                                </tr>
                                <tr>
                                <td valign="top" background=""
bgcolor="#F4EDE1"></td>
                                <td bgcolor="#F4EDE1" valign="top"><a
href="http://www.bedbathandbeyond.com/rdPolicyReturns.asp?"
class="blue">Easy returns</a><br><a
href="http://www.bedbathandbeyond.com/rdPolicyShipping.asp?"
class="blue">Shipping & policies</a><br><a
href="http://www.bedbathandbeyond.com/rdGiftCert.asp?"
class="blue">Gift cards</a><br><a
href="http://www.bedbathandbeyond.com/rdPolicyLegal.asp?"
class="blue">Legal notices</a></td>
                                <td bgcolor="#F4EDE1" valign="top"><a
href="http://www.bedbathandbeyond.com/rdProductGuides.asp?"
class="blue">Product guides</a><br><a
href="http://www.bedbathandbeyond.com/rdClubMom.asp?"
class="blue">ClubMom</a><br><a
href="http://www.bedbathandbeyond.com/rdUPromise.asp?"
class="blue">Upromise&#153;<span class="tiny"><br>save for
college</a></span></td>
                                </tr>
                                </table>
                                </td>
                                <td bgcolor="#DCD8C0"></td>
                                <td bgcolor="#F4EDE1" valign="top">

```



```

        <table cellspacing="0" cellpadding="0" border="0">
            <tr>
                <td valign="top" colspan="2"></td>
            </tr>
            <tr>
                <td bgcolor="#F4EDE1"></td>
                <td bgcolor="#F4EDE1"></td>
            </tr>
            <tr>
                <td valign="top" background=""
bgcolor="#F4EDE1"></td>
                <td bgcolor="#F4EDE1" valign="top"><a
href="http://www.bedbathandbeyond.com/rdContactUs.asp?"
class="blue">Contact us</a><br><a
href="http://www.bedbathandbeyond.com/rdSubscribe.asp?"
class="blue">Our mailing list</a><br><a
href="http://www.bedbathandbeyond.com/rdFAQS.asp?"
class="blue">FAQs</a><br><a
href="http://www.bedbathandbeyond.com/rdGlossary.asp?"
class="blue">Glossary</a></td>
            </tr>
        </table>
    </td>
    <td bgcolor="#DCD8C0"></td>
    <td bgcolor="#F4EDE1" valign="top">
        <table cellspacing="0" cellpadding="0" border="0">
            <tr>
                <td valign="top" colspan="2"></td>
            </tr>
            <tr>
                <td bgcolor="#F4EDE1"></td>
                <td bgcolor="#F4EDE1"></td>
            </tr>
            <tr>
                <td valign="top" background=""
bgcolor="#F4EDE1"></td>
                <td bgcolor="#F4EDE1" valign="top"><a
href="http://www.bedbathandbeyond.com/rdCorpSales.asp?"
class="blue">Corporate sales</a><br>
                <a
href="javascript:OpenViewWindow('about_us.asp',498,427,'yes','yes');"

```

```

class="blue">Investor relations</a><br><a
href="http://www.bedbathandbeyond.com/rdCareers.asp?"
class="blue">Careers</a></td>
</tr>
</table>
</td>
<td bgcolor="#DCD8C0"></td><td bgcolor="#DCD8C0"></td>
</tr>
</table>
<table cellspacing="0" cellpadding="0" border="0" width="779">
<tr>
<td colspan="2" bgcolor="#DCD8C0"></td>
</tr>
<tr>
<td bgcolor="#DCD8C0" valign="top" align="right">100%
Satisfaction Guaranteed. You can <a
href="http://www.bedbathandbeyond.com/rdPolicyReturns.asp?"
class="blue">return</a> anything bought online either through the mail
or at any store.<br>Help is always available at 1-800-GO BEYOND&reg;
(1-800-462-3966)<br><br>&copy;1999-2004 Bed Bath &amp; Beyond Inc. and
its subsidiaries. All rights reserved.</td>
<td bgcolor="#DCD8C0"></td>
</tr>
</table>
</body>
</html>

```

Temporary Internet Files					
File Edit View Favorites Tools Help					
Back Forward Stop Search Folders					
Address C:\Documents and Settings\nat.FINEGROUND\Local Settings\Temporary Internet Files					
Folder Tasks	net Address	Type	Size	Expires	Last
Share this folder	://www.bedbathandbeyond.com/img/tab_shopforcollege_off.gif;pv438a11432669eb92	GIF Image	2 KB	4/25/2005 2:52 PM	Non
	://www.bedbathandbeyond.com/img/finav_1gifts_off.gif;pv5d8b364698e85a7e	GIF Image	1 KB	4/25/2005 2:52 PM	Non
	://www.bedbathandbeyond.com/img/finav_1bath_off.gif;pv677def14d21d87a2	GIF Image	1 KB	4/25/2005 2:52 PM	Non
	://www.bedbathandbeyond.com/img/finav_1bedding_off.gif;pvcb8a14474abdd9c	GIF Image	1 KB	4/25/2005 2:52 PM	Non
	://www.bedbathandbeyond.com/img/finav_1electronics_off.gif;pv0e16ea3442e4b652	GIF Image	1 KB	4/25/2005 2:52 PM	Non
	://www.bedbathandbeyond.com/img/finav_1dining_off.gif;pv73693a9220c067f2	GIF Image	1 KB	4/25/2005 2:52 PM	Non
	://www.bedbathandbeyond.com/img/finav_1kitchen_off.gif;pvbda9abb1ba0ea903	GIF Image	1 KB	4/25/2005 2:52 PM	Non
	://www.bedbathandbeyond.com/img/finav_1homedecor_off.gif;pv3b3fe7bddaef9bde	GIF Image	1 KB	4/25/2005 2:52 PM	Non
	://www.bedbathandbeyond.com/img/calout_gif/cards.gif;pv44c6b56544e8583a	GIF Image	3 KB	4/25/2005 2:52 PM	Non
	://www.bedbathandbeyond.com/img/finav_1organization_off.gif;pvbe2ba117a046008	GIF Image	1 KB	4/25/2005 2:52 PM	Non
	://www.bedbathandbeyond.com/img/finav_1seasonal_off.gif;pv6575aff4fbed2643	GIF Image	1 KB	4/25/2005 2:52 PM	Non
	://www.bedbathandbeyond.com/img/finav_1specialtyshops_off.gif;pv1182eb11ef7d05596	GIF Image	1 KB	4/25/2005 2:52 PM	Non
	://www.bedbathandbeyond.com/homeimg/hdr_FallintoAutumn.gif;pv647d6318e390df7	GIF Image	1 KB	4/25/2005 2:52 PM	Non
	://www.bedbathandbeyond.com/assets/product_images/230/25183104456C.JPG;pv4b6cb556354c3a83	Paint Shop Ph...	36 KB	4/25/2005 2:52 PM	Non
	://www.bedbathandbeyond.com/assets/product_images/130/3107713323224P.JPG;pv3751ab886c292699	Paint Shop Ph...	12 KB	4/25/2005 2:52 PM	Non
	://www.bedbathandbeyond.com/assets/product_images/130/2519013063010P.JPG;pv637e0129f2eef516	Paint Shop Ph...	20 KB	4/25/2005 2:52 PM	Non
	://www.bedbathandbeyond.com/assets/product_images/130/25186104458C.JPG;pv6284db9c82246d9f	Paint Shop Ph...	12 KB	4/25/2005 2:52 PM	Non
	://www.bedbathandbeyond.com/assets/product_images/130/2518813062978P.JPG;pv633ced0cdf418984b	Paint Shop Ph...	14 KB	4/25/2005 2:52 PM	Non
	://www.bedbathandbeyond.com/assets/product_images/130/31741105464C.JPG;pv7bde87dd5598d0	Paint Shop Ph...	18 KB	4/25/2005 2:52 PM	Non
	://www.bedbathandbeyond.com/assets/product_images/130/30839105333C.JPG;pv7dfc2679e811fdd3	Paint Shop Ph...	19 KB	4/25/2005 2:52 PM	Non
	://www.bedbathandbeyond.com/img/btn_homeCafeBeyond.gif;pvdc787fb847a962fd	GIF Image	4 KB	4/25/2005 2:52 PM	Non
	://www.bedbathandbeyond.com/img/btn_homeCafalonBonus.gif;pvdc16b5acd32d1c9e	GIF Image	2 KB	4/25/2005 2:52 PM	Non
	://www.bedbathandbeyond.com/img/btn_homeClearance.gif;pv5b8312ad1f1eb17	GIF Image	2 KB	4/25/2005 2:52 PM	Non
	://www.bedbathandbeyond.com/img/btn_homeYankeeCandle.gif;pv7c0e1cd8e61529fd	GIF Image	2 KB	4/25/2005 2:52 PM	Non
	://www.bedbathandbeyond.com/img/finav_1getspecialoffers_off.gif;pv40124a231f4b5dec	GIF Image	2 KB	4/25/2005 2:52 PM	Non
	://www.bedbathandbeyond.com/img/btn_submit.gif	GIF Image	1 KB	10/26/2004 2:52 ...	Non
	://www.bedbathandbeyond.com/img/finav_1shoppinginfo_off.gif;pv56a5260358b3120d	GIF Image	1 KB	4/25/2005 2:52 PM	Non
	://www.bedbathandbeyond.com/img/finav_1corporate_off.gif;pv33f66f18d059fdd1	GIF Image	1 KB	4/25/2005 2:52 PM	Non
	://www.bedbathandbeyond.com/img/finav_1help_off.gif;pv2414845b3065e32f	GIF Image	1 KB	4/25/2005 2:52 PM	Non
	://www.bedbathandbeyond.com/	HTML Document	130 KB	None	Non
	://www.bedbathandbeyond.com/img/finav_bg.gif;pv44007f20278c399	GIF Image	1 KB	4/25/2005 2:52 PM	Non
	://www.bedbathandbeyond.com/img/bkg_at.gif;pvcca0a27b832ea50e	GIF Image	2 KB	4/25/2005 2:52 PM	Non
	kie:nat@www.bedbathandbeyond.com/	Text Document	1 KB	12/31/2009 5:00 ...	10/26/2004 2:52 ...
	://hinks.net/flame.cc/service/script/IE.js	JScript Script ...	8 KB	10/26/2004 2:49 ...	10/26/2004 2:52 ...
	://ssl-hinks.net/flame.cc/service/hint?report=3/10/7Dn%7Dhttp%3A//www.bedbathandbeyond.com/%7...		63630083520...	0 KB	None
	://www.bedbathandbeyond.com/img/finav_1seasonal_on.gif	GIF Image	1 KB	10/26/2004 2:52 ...	Non
	://www.bedbathandbeyond.com/img/finav_1seasonal_off.gif	GIF Image	1 KB	10/26/2004 2:52 ...	Non

EXHIBIT 4

AN EXEMPLARY COMPARISON OF CLAIM 1 AND PIVIA'S CUSTOMER WEB SITE USING PIVIA'S EXPRESS LOADER

<p>1. A method for operating a proxy disposed between a user and a document accessible to said user over a computer network, comprising:</p>	<p>The web page <u>www.pivia.com/products/performance.htm</u> (Exhibit 1) shows the PIVIA's Performance Server ("PPS") deployed as a proxy between users (over an extranet) and a content server (the "data center"). The PPS includes the PIVIA Express Loader (see page 3 of the web page). The Express Loader is used to process web pages of customers such as Bed Bath and Beyond (hereinafter "<u>BBB</u>").</p>
<p>(a) obtaining an electronic document:</p> <p>(i) identifiable by a network address of said document;</p> <p>(ii) including one or more references to one or more embedded objects;</p> <p>(iii) each said one or more embedded objects being identifiable by a preexisting network address therefor;</p>	<p>(i) The home page of BBB is identifiable by its network address (i.e., <u>www.bedbathandbeyond.com</u>).</p> <p>(ii) The home page of BBB includes one or more references to one or more embedded objects. Each embedded object can be identified by a preexisting network address. For example, a GIF image file might be identified by a preexisting network address of: "<u>www.bedbathandbeyond.com/img/fti_corporate.gif</u>"</p>

<p>(b) for at least one of said one or more embedded objects, facilitating storage and re-use thereof from a cache accessible to said user without requiring user validation of said one or more embedded objects upon said re-use, by:</p> <ul style="list-style-type: none"> (i) specifying a new network address uniquely identifying said one or more embedded objects; and (ii) specifying cacheability information for said one or more embedded objects; and 	<p>(i) The Express Loader specifies a new network address. For example, see the gif file on page 53 (which is the second to the last page) of the source code of BBB's home page (Exhibit 2):</p> <p>“www.bedbathandbeyond.com/img/ftt_corporate.gif;pv33f66f18d059f0d1”</p> <p>The string of numbers and characters beginning with “pv” after the semicolon is a hash value computed by PIVIA's Express Loader to uniquely identify the embedded object. This same technique is applied throughout the home page to uniquely identify other embedded objects in the web page (see other boldface examples in Exhibit 2).</p> <p>(ii) These uniquely identified embedded objects have a cacheability lifetime of about 6 months. The cacheability information is shown in Exhibit 3 which is a screen shot of a portion of a browser's cache after accessing the BBB home page.</p>
<p>(c) modifying said document by replacing said preexisting address for said one or more embedded objects with said new network address.</p>	<p>The preexisting address of the embedded object on page 53 (www.bedbathandbeyond.com/img/ftt_corporate.gif) is replaced by a new network address (www.bedbathandbeyond.com/img/ftt_corporate.gif;pv33f66f18d059f0d1). (See Exhibit 2)</p>

EXHIBIT 5

PIVIA CUSTOMERS

(AS ADVERTISED AT PIVIA'S WEB SITE ON 11-19-04)

Agile
Johnson & Johnson
JC Whitney
SBC
Bed Bath & Beyond
Sun Chemical
Applied Biosystems
Applebee's
British Land
nVIDIA
PlumTree
HESS
RitzInteractive
ChevronTexaco
Cisco Systems
LeBoeuf, Lamb, Greene, MacRae
Epson
Dartek
Haynes Boone
CP Ships
Invitrogen
Pioneer Natural Resources
Glaxo Smith Kline



SUPPORT • CONTACT US • BLOG

WEB APPLICATION OPTIMIZATION SOLUTIONS


PRODUCTS SOLUTIONS CUSTOMERS PARTNERS COMPANY

CUSTOMER GRID

CUSTOMERS

PIVIA CUSTOMERS GRID				
CUSTOMER	APPLICATION	KEY CHALLENGES	PIVIA BENEFITS	
Life cycle management software company	Onyx, Plumtree, and eRoom applications	Slow access from remote development offices in India	<ul style="list-style-type: none">- Faster collaboration with remote users- Improved application scalability	
Large oil and gas company	Custom built corporate portal	Poor performance in overseas offices	<ul style="list-style-type: none">- Reduce page download time- Increased server scalability	
Large chain of casual dining restaurants	Plumtree Portal	Slow access from franchisees over frame-relay connections	<ul style="list-style-type: none">- Faster information distribution- Increased user productivity	
Life science marketplace leader	BEA Weblogic custom built extranet store	Slow e-commerce experience	<ul style="list-style-type: none">- Reduced customer complaints- Extend site functionality without infrastructure costs	
Large retailer	Custom built E-commerce and in-store kiosks	Reduce web customer complaints; Deliver productive in-store kiosk application	<ul style="list-style-type: none">- Customers view twice as many pages in half the time- Replacement hardware reduced from 12 to 4 CPUs	
Large real estate management company	Plumtree Corporate portal used by employees and partners	Application integration slowing down entire application	<ul style="list-style-type: none">- 7X faster application for extranet partners- Increased user satisfaction and application adoption	
Leading networking equipment manufacturer	Siebel Deal Support Automation (DSA) sales portal	Inconsistent performance to EMEA and APAC users	<ul style="list-style-type: none">- Increased sales people productivity- Consistent world-wide application performance	
Computer e-commerce site	Custom built E-Commerce Site	Deliver best in class web experience	<ul style="list-style-type: none">- Accelerate both static and dynamic content- Offload servers	
Leading consumer electronics company	Broadvision E-commerce site	Servers running at 85% capacity with peaks over 100%	<ul style="list-style-type: none">- Over \$500,000 saved in hardware and software costs- Average response time under one second	
World leading pharmaceutical company	Plumtree Portal	Performance for global users over high latency or low bandwidth connections	<ul style="list-style-type: none">- Successful application deployment- Improved document access	
Large provider of products and services to the oil and gas industries	Plumtree Portal	Slow performance to remote users	<ul style="list-style-type: none">- Successful application deployment- Increased employee productivity	
Leading life science equipment vendor	R&D Plumtree Corporate Portal	Ensure fast performance in remote offices - with varying quality of networks	<ul style="list-style-type: none">- Fast access to portal collaboration areas from remote offices- Avoided complex document distribution solution	
Large automotive	IBM WebSphere	Scale the site, improve download times and	<ul style="list-style-type: none">- 10% increase in average customer order	

Get more information!



CLICK HERE

e-commerce site	E-commerce site	performance without adding hardware	- No capital expenses to support online traffic growth
Large Pharmaceutical company	Vignette (Epicentric) corporate portal	Slow application in remote offices on WAN	- Consistent application response time between 2 and 3 seconds from remote offices - Increased application adoption
International law firm	Plumtree Corporate Portal	Access web documents as fast as local copies of email attachments	- Avoided expensive network upgrade - Reduced network and storage resources used for documents
Leading visual computing technology company	Mission-critical applications used by sales, engineering, marketing, and HR employees worldwide	Improve performance for remote and mobile users	- Reduced download times - Reduced bandwidth consumption - Increased performance for remote users
A top-tier exploration and production oil and gas company	Plumtree Portal	Slow performance for remote users in Argentina , Gabon , Calgary , and on oil rigs	- Reduced complaints about application performance - Improved document access
Large tele-communications company	Consumer portal and Vignette (Epicentric) Corporate portal	Cost of operations for consumer portal and user performance for corporate portal	- Data center cost savings - Corporate portal employee productivity
Leading network of e-commerce sites	M WebSphere E-Commerce site	Deliver best-in-class user experience	- Increased sales and customer satisfaction - 100% site availability (Gomez) and #1 rank for site performance (Bizrate)

Copyright © 2004, Pivia. All Rights Reserved.

Products | Solutions | Customers | News | Partners | Company | Support | Contact |



SUPPORT • CONTACT US • BLOG

WEB APPLICATION OPTIMIZATION SOLUTIONS

PRODUCTS SOLUTIONS CUSTOMERS NEWS PARTNERS COMPANY


PRODUCTS

PERFORMANCE SERVER

PERFORMANCE SERVER
REMOTE EDITION

■ PERFORMANCE SERVER
PLUMTREE EDITION

Get more information!



CLICK HERE

PIVIA PERFORMANCE SERVER PLUMTREE EDITION



Acceleration for your Plumtree Corporate Portal and application environment

Plumtree and Pivia have partnered to provide Plumtree Enterprise Web Suite customers a simple and cost effective solution to significantly accelerate and scale their corporate portal and Enterprise Web deployments. The Enterprise Web is an open environment for creating Web applications that span rival platforms and business systems. The foundation of the Enterprise Web is a set of technologies that work together via Web services, including technologies for business integration, collaboration, content management, identity management, and search.

The Pivia Performance Server Plumtree Edition (PPS Plumtree Edition) is the result of the combined expertise of Pivia in Web application optimization and Plumtree in portal deployments, delivering high end-user performance benefits. The solution is specifically pre-configured for Plumtree customers who wish to deploy a volume and variety of Web applications and manage them in a single high performance portal.

Unparalleled Plumtree Enterprise Web Suite performance for LAN, WAN, and Extranet users

Pivia Performance Server Plumtree Edition is a comprehensive software solution that improves the performance and reduces the costs-of Plumtree deployments without any code changes. Highly optimized and scalable, the server seamlessly analyzes and intelligently processes web user requests and application responses. This enables enterprise web applications to generate pages and content (application generation), and deliver those pages to users (application delivery), faster and more efficiently than ever before.

Pivia's "Application Smart" Technologies

The Pivia Performance Server Plumtree Edition delivers next-generation application improvements by implementing "application smart" optimizations. Contrary to other solutions that focus on improving the performance of individual objects or individual connections, Pivia takes an application centric approach to optimization. Pivia optimizes the end-to-end user experience measured by how quickly full pages and documents are downloaded and rendered by a browser. Pivia's application smart technologies work by reducing the number of network round trips, parallelizing network requests, and utilizing browser and edge caches for static and dynamic content.

For example, the PPS Plumtree Edition will embed object versioning information into page responses, thereby eliminating the majority of network traffic related to content freshness checks on these objects. This results in an improved used experience and decreased network bandwidth usage.

All features are pre-configured for working out of the box with the Plumtree Enterprise Web Suite.



Benefits

Increased Plumtree portal adoption

- Plumtree portal users endorse the application instead of resorting to traditional methods (phone, fax, etc.)

Reduced infrastructure costs

- Eliminates expensive network capacity and network equipment upgrades

Increased user satisfaction and productivity

- Plumtree portal users accomplish tasks faster and with less frustration

Installation and Configuration

Pivia's software requires no changes to your Plumtree applications or site infrastructure little training time, and no specialized programming skills. The Pivia Performance Server Plumtree Edition comes with all Plumtree configuration parameters ready to be installed out-of-the-box through a simple graphical user interface.

Application Generation Features

SSL Optimizer
Offloads SSL processing to the Performance Server

Connection Optimizer
Reduces the number of user connections to the origin application

Static Caching
Returns un-expired static objects and pages directly from cache

Application Delivery Features

Benefits

Increases server scalability
Accelerates high value transactions
Supports multiple termination points as well as tunneling

Reduces load on the servers
Enables supports for large number of concurrent users
Protects servers from denial of service attacks

Reduces load on the web servers
Increases server throughput
Leverages existing edge and browser caches

Benefits

Express Loader
Stages content elements closer to users in browser or Enterprise Content Delivery Network (ECDN) caches

Reduces network and protocol delays
Eliminates unnecessary upstream requests for objects
Ensures propagation of valid content

Express Connect
Allows requests from the browser and its responses to be processed in parallel instead of serially

Makes efficient use of network bandwidth
Optimizes high bandwidth/high latency connection usage
Reduces application latency and wait times

Express Compress
Compresses response objects without introducing incremental latency

Significantly improves page download times
Accelerates static and dynamic pages
Reduces bandwidth utilization and costs

Express Documents
Optimizes document viewing (PDF, PowerPoint, Word, etc.)

Fast viewing of large PDF files
Reduces bandwidth consumption
"Near instantaneous" load on unchanged documents

Express Pages
Avoid downloads of unchanged dynamic or personalized pages

Fast viewing of unchanged pages
Avoids unnecessary page downloads
Significantly speeds up browsing through a corporate portal

Administration and Deployment Features

Benefits

Flexible deployment configurations

Works with a wide-variety of web application and infrastructure environments

Simplified deployment

Reduced cost of ownership

Protects investment against computing environment changes

Centralized administration

Single point of administration for multiple or clustered performance servers

Reduced administrative cost

Simple configuration upgrades across many performance servers


Browser-based Administration

Graphical and browser based interface to configure and monitor Performance Server

Reduced learning costs

Accessible from anywhere

No user deployment costs



Get more information!

[CLICK HERE](#)

TOP ▲



SUPPORT • CONTACT US • BLOG

WEB APPLICATION OPTIMIZATION SOLUTIONS

PRODUCTS SOLUTIONS CUSTOMERS NEWS PARTNERS COMPANY

CUSTOMER SUCCESS STORY

COMPANY
• British Land

APPLICATION

- Plumtree Corporate Portal

KEY CHALLENGES


- Improve intranet and extranet performance of mission critical corporate portal

PIVIA SOLUTION

- Pivia Performance Server Plumtree Edition with portlet caching

PIVIA ROI

- 700% performance improvement
- 5X bandwidth utilization reduction
- Accurate and non-intrusive usage reports



PIVIA TURNS BRITISH LAND INTO A HOT PROPERTY

British Land is the largest real estate company in the UK with almost 12 billion British pounds worth of assets under management. In 2001, as part of an exercise to enhance knowledge sharing and collaborative working within the company and with its business partners, British Land began development of, and subsequently implemented, a web-based portal using software from Plumtree.

The portal provides a single point of access to the company's existing systems and includes project spaces for sharing of information and collaboration. However one of the most important elements of the project has been the re-engineering of business processes to operate through the portal. This has shown to significantly reduce cycle times for the processes completed so far, especially where an approval workflow is involved. For example, expenditure requiring board member approval normally took two to four weeks via the paper-based process, whereas now they usually take only a matter of days. The portal has also streamlined processes where external parties such as brokers and lawyers are involved, for example accounting, tax planning, auditing, and environmental data capture processes. User feedback, both internal and external, has been very positive.

Whilst the portal has proven extremely beneficial, there have been concerns about its performance, which has occasionally frustrated both internal and remote users. Indeed, at its worst, some page redraws were taking up to 20 seconds, and this was felt to be unacceptable. British Land therefore decided to undertake an extensive infrastructure project (including tuning the application itself) with the goal of reducing or eliminating performance issues, and Pivia was a key part of the overall solution.

British Land could have implemented several different performance enhancing technologies (such as ones that turned on caching within the application and/or the network) but this would have added complexity to the enterprise infrastructure. Instead the Pivia Performance Server (PPS) solution was used, replacing the need for many of these disparate technologies and greatly reducing the burden on the IT team.

Unparalleled performance across the board

British Land undertook a trial test of three potential solutions, the main criterion being an appreciable improvement in performance. The Pivia solution was ultimately chosen and was soon deployed to provide caching, compression, network optimizations and timing solutions (reports on total Web site activity including most-used pages, when people log on, etc. – this helps target bottlenecks and improve overall efficiency). The results were significant.

British Land's portal delivers results from several data sets stored in the company's corporate databases - for example, displaying and flagging all rents that are due for renegotiation would make up one data set. Although the data does not change that often (rents are renegotiated every five years on average), retrieving information from these databases was a slow process. Now, using Pivia's application smart caching, pages are served 4 - 5 times faster. In fact, page elements are served almost instantaneously if the page contents are not modified, the most common scenario.

Pages are now compressed using Pivia from an average of 800K to 150K, depending on content. Additionally, Pivia reduced HTTP protocol chatter by reducing the number of browser-to-server requests and responses. This created a huge increase in performance for British Land partners who access the server via low bandwidth connections. As for timing, Pivia was used to provide accurate timings (making bottlenecks easier to detect) as timings are taken "outside the system" rather than from within. Previously, timings taken within the system were unreliable as it was unclear exactly which elements were causing the bottlenecks.


Advanced technology and a team to back it up

British Land : "Our company was also very impressed with the Pivia professional services team. Their "can do" attitude and willingness to examine the whole infrastructure – versus just Pivia's contribution – was an unexpected bonus that made migrating to Pivia particularly beneficial."

Today, on average, the portal draws pages in under three seconds versus the previous worst case 20-second time – a 700% improvement. This gives the company the portal performance and solid Web foundation to take the system well into the future.

The Pivia advantages

Page Download Time Comparisons



"The Pivia Performance Server met or exceeded all our performance requirements."

Jay Hunter
IT Project Manager
For British Land


Pivia offers the industry's only "Application Smart" solution for accelerating Web applications accessed by LAN, WAN, Internet and extranet users. Contrary to other solutions that focus on individual objects or connection-level optimizations, the Pivia Performance Server (PPS) delivers market-leading benefits by optimizing complete end-to-end application performance from the user's point of view. This eliminates both generation (server-side) and delivery (network-side) bottlenecks, and enables enterprises to deliver pages and documents to users faster and more efficiently than ever before.

Critical Pivia technologies employed by British Land

Application Smart Caching assembles dynamic and personalized pages within the server and then returns these elements without affecting the network infrastructure or applications, thereby dramatically improving network latency and overall user performance.

Express Compress is able to compress response objects without introducing incremental latency. This significantly improves page download times for dial-up users, accelerates static and dynamic pages, and more.

Express Loader stages content elements closer to users in browser or Enterprise Content Delivery Network (ECDN) caches. As a result, pages load faster.




Copyright © 2004, Pivia. All Rights Reserved.

Products | Solutions | Customers | News | Partners | Company | Support | Contact Us



FEATURE



Improving Web Site Performance Thinking Outside the Box

A case study



BY MIKO SION AND AL LOGIODICE

■ Not long ago, Epson America had a problem that many companies would love to have – a very successful corporate Web site. Let us explain.

More and more people were using Epson America's Web site to research and get in-depth information about our products; locate a convenient store where they could purchase our products; or even purchase items such as printers, scanners, ink cartridges, and home electronics online, as well as easily obtain online technical assistance for those products. This was exactly what we wanted. Our Web site is a key component of our strategy, and we want customers to consider it a valuable tool. Therefore, it's imperative that they have positive experiences with the site. If not, we risk consumers taking their business elsewhere.

We saw that the increased traffic would soon require us to upgrade our Web infrastructure in order to maintain the level of functionality and performance that our customers expected from us. Servers were already running at 90 percent of capacity. We had consolidated and better integrated different areas of the Web site to improve and simplify the end-user experience. While this was successful in many respects, the servers were processing about three times the number of page views per day com-

pared to when our current architecture was deployed, posing a potential threat to server resources. Since then, traffic has continued to grow significantly.

We knew we needed to improve our infrastructure so that Web site performance would remain consistent, especially during peak traffic times, as we continued growing our site traffic.

Our Challenge: Do More with Less

Purchasing additional Web/Internet infrastructure items would be the natural direction that most companies would take in this situation. But we wanted to think outside the box. We wanted to avoid a significant capital investment and the ongoing maintenance expenses, which was a bigger concern for the long run as usage continues to grow.

What we wanted was a cost-effective solution that provided us with both flexibility and scalability for the long run. In addition, we wanted to continue improving the site in terms of business continuity to ensure that customers could always access the content.

We Chose Pivia and Linux

After considering other solutions, we decided that Pivia's Web application delivery solution made the most sense – not only

ABOUT THE AUTHOR

*Miko Sion is vice president, information systems, at Epson America.
miko_sion@ea.epson.com*

*Al Logiodice is manager, application development, at Epson America.
al_logiodice@ea.epson.com*

through improved performance, but also from the IT and financial control points of view.

Pivia's application delivery solution has helped improve Web application performance and the user experience through much faster page views and reduced session times. The Pivia solution is relatively inexpensive and has helped control operating costs since deployment. The Pivia Performance Server (PPS) runs on Linux, which we have found to be an extremely scalable, inexpensive, and secure operating system. By leveraging the available open source components of Linux, the Pivia solution can support large transactional loads while running on low-end commodity hardware. Thanks to the Linux and Pivia combined scalability, our investment in the underlying hardware has been minimal. The combination of Pivia's Web application delivery solution and Linux offered us a more economical system that extended the life of our infrastructure and enabled us to continue to offer customers 24x7 Web site availability.

Pivia's solution delivery group worked closely with us to design and configure the system for optimal performance. Many of our pages are dynamic, containing information such as real-time product availability and pricing, so simple caching solutions would not have worked. The PPS offloads traffic from our application servers as well as the database server, even for many of these dynamic pages. It caches content generated by the origin server, and then on subsequent requests, content is served from the cache if still valid, thus reducing demand on the origin server. Initially, the PPS cached about 50 percent of page requests this way. Now, the PPS caches more than 80 percent, as we've configured more sections of our site to take advantage of Pivia's caching capabilities.

Application Smart Caching

We learned a lot during the course of analyzing our system. For example, we knew that our session management created overhead, thereby reducing the resources available to the server for other tasks. We successfully addressed this with the flexibility of Pivia's Application Smart Caching. Now, when a user performs an action that requires a session, the request goes to our origin server, which handles the transaction and generates a session. To determine whether pages should be proxied or cached,




FIGURE 1 EPSON.COM INFRASTRUCTURE

we utilize the PPS's advanced policy rules that allow a variety of actions to occur on any HTTP request header or parameter.

Of course, once a page is served from the cache, it's vital to ensure that the user's session does not time out. Since the PPS is now caching most of the pages, a server might assume that a user has left the site and therefore end the session, when, in fact, the person might still be browsing and simply hitting only cached pages. To avoid this, we utilize another piece of Application Smart Caching, a server scripting standard called ESI (Edge Side Includes) to ping the origin server and keep the session alive. One session ping every 10 minutes goes to the server to prevent such timeouts.

PPS supports browsers with or without their cookies enabled. In addition, PPS eliminates the creation of duplicate copies of the same content by using content variation rules in conjunction with parameter substitution, thereby decreasing demand on our servers. Only one user has to go to the server for a particular page, which is cached. As long as that page remains valid, other users requesting the page receive it from the cache instead of the server.

The PPS also reduces server load through a "connection optimizer." The PPS handles thousands of browser connections on the front end but far fewer – approximately 20 – going to the server on the back end. The PPS essentially acts as a multiplexer, taking multiple requests and sending them to the server over one connection.

The Bottom Line: We Saved Hundreds of Thousands of Dollars

Unquestionably, deploying the Pivia Performance Server running on Linux has been a huge success for Epson America. The implementation has significantly improved the end-user experience, saved us a significant amount of money up front, and continues to help us control operating costs.

Deploying the Pivia application delivery solution has saved us hundreds of thousands of dollars in infrastructure costs. As we continue to grow the Web site, the PPS future-proofs our infrastructure by eliminating or postponing some of the costs of future upgrades (see Figure 1). We believe those cost savings could be significant.

In addition, the value of the PPS implementation becomes even greater when you consider other benefits that accrue. These benefits include reduced bandwidth consumption, greatly reduced page-download times (less than a second in many cases), fewer calls to our customer service center, more consistent response times during peak traffic periods such as the Christmas shopping season, and lower shopping-cart abandonment rates.

Anybody running a serious e-commerce site should consider application delivery and optimization solutions. For us, the combination of Pivia and Linux was a winner.

LINUXWORLD MAGAZINE WWW.LINUXWORLD.COM



Swan Labs Expands NetCelera Product Line to Offer a More Comprehensive Solution by Acquiring Pivia™

Swan Labs, the premier provider of enterprise application shaping solutions to Global 2000 companies, has acquired Pivia, the leader in Web application delivery and optimization. NetCelera Web Accelerator™ (formerly Pivia Performance Server) is designed to accelerate Web-enabled applications including CRM, SCM, SFA, portals, Web email, and e-commerce. Swan Labs will distribute the NetCelera Web Accelerator as an add-on module to its NetCelera solution and will integrate core application-intelligence technology into the NetCelera platform.

To find out more about the Swan Labs / Pivia acquisition, go to the Swan Labs Acquires Pivia Press Release.

About Swan Labs and NetCelera

Swan Labs' NetCelera enterprise application shaping solutions are the first to allow companies to guarantee enterprise application performance while dramatically improving WAN. With Swan Labs' NetCelera solution, enterprise customers experience increased application utilization, predictable end-user response times, dramatic WAN performance gains, and WAN costs. In addition to saving IT organizations potentially millions of dollars per year in WAN service costs, the NetCelera platforms enable enterprises to finally reap full value from applications delivered over the WAN by providing predictable, reliable response times for local and distributed users alike.

To learn more about Swan Labs and its flagship solution NetCelera, we invite you to visit www.swanlabs.com.

Other potential areas of interest may include:

- Swan Labs – the Company
- Swan Labs' Management Team
- NetCelera products
- NetCelera solutions
- Swan Labs' customers
- Swan Labs' partners
- Swan Labs customer confidence



COMPANY

PRODUCTS

SOLUTIONS

NEWS & EVENTS

CUSTOMERS

Home > News & Events > Press Releases > Swan Labs Acquires Pivia

Press Release

News & Events

Press Releases

Media Coverage

Events

Press Room

1-866-375-SWAN

Swan Labs Acquires Leading Web Application Acceleration Provider, Pivia™

Pivia Acquisition Expands Swan Labs' Product Line, Enhances Intellectual Property, and Adds New Customers and Partners

SAN JOSE, CA, December 6, 2004—Swan Labs, the premier provider of enterprise application shaping solutions, today announced that it has acquired Pivia™, the leader in Web application delivery and optimization, in a stock transfer agreement. Under the terms of the agreement, Swan Labs is acquiring Pivia's product portfolio, including the Pivia Performance Server (PPS) and PPS Remote Edition software solutions, service contracts for all existing customers, intellectual property, including rights to three patents, as well as adding key employees in engineering, sales, and marketing.

"To rapidly reach critical mass in the newly emerging enterprise application shaping market, Swan Labs' strategy has been to combine organic growth with strategic acquisitions when there is a strong technology and market fit," said Andrew Foss, president and CEO of Swan Labs. "Pivia is well-matched to our strategy. The PPS products bring raw power to Web-enabled enterprise applications such as CRM, and will add powerful application intelligence to our core NetCelera technology. The combined solution will bring our customers even greater improvements in application speed and network efficiency. Pivia also enhances our customer base with well-established companies such as Bed Bath & Beyond and Epson America."

"Users are demanding more capabilities from WAN optimization vendors. Application visibility and acceleration are key areas users require to address WAN latency and throughput concerns. Acquisitions such as this will continue to push the technology to meet the growing user requirements as well as begin to separate the playing field of vendors," states Stephen Elliot, IDC Senior Analyst, Network Management.

Swan Labs Expands Product Line and Customer Base

Swan Labs' NetCelera enterprise application shaping solutions are the first to allow companies to guarantee enterprise application performance while dramatically improving WAN utilization. In addition to saving IT organizations potentially millions of dollars per year in WAN service costs, the NetCelera platforms enable enterprises to finally reap full value from critical applications delivered over the WAN by providing predictable, reliable response times for local and distributed users alike.

The Pivia PPS products are designed to accelerate Web-enabled applications such as Customer Relationship Management (CRM). Swan Labs will distribute the Pivia software as an add-on module to its NetCelera solution and will integrate core application-intelligence technology into the NetCelera base platform. Since the Pivia PPS products operate at Layer 7, they are fully complementary to the Layer 5 NetCelera architecture. Using PPS intelligence, NetCelera session awareness mirrors the requirements of the application to the network to ensure Web-enabled applications enjoy optimized performance over the WAN.

"Swan Labs takes a significant leap forward in acquiring Pivia," said Peter Sevcik, president, NetForecast, Inc. "Based on Swan's architecture and its inherent application awareness, this acquisition makes perfect sense and will give them a feature set currently not available from any of the competitive pure-WAN optimization players."

As part of the integration process, Swan Labs is already working closely with the installed base of Pivia customers to ensure a smooth transition of contracts to lead to long-term partnerships. Pivia has successfully deployed solutions with many well-known customers, including Applebee's, Bed Bath & Beyond Inc. (NASDAQ: BBBY), Epson America Inc., NVIDIA Corp. (Nasdaq: NVDA), and Systemax, Inc. (NYSE: SYX). Swan Labs has also taken on Pivia's strategic and technology partnerships with IBM and Plumtree Software.

"Deploying the Pivia solution was a huge success for Epson America," said Al Logiodice, manager, application development at Epson America. "To date, the Pivia application delivery solution has improved the end-user experience and saved us hundreds of thousands of dollars."

About Swan Labs

Swan Labs is the premier provider of enterprise application shaping solutions to Global 2000 companies. Enterprise application shaping is a new, emerging technology that combines the best aspects of WAN optimization and application acceleration. With Swan Labs' NetCelera EAS solution, enterprise customers experience increased application utilization, predictable end-user response times, dramatic WAN performance gains, and lower WAN costs. Swan Labs is headquartered in San Jose, California, and has development and support operations in Ireland. For more information, visit www.swanlabs.com.

About Pivia

Pivia Inc., the leader in Web Application Delivery and Optimization, provides solutions for Global 2000 enterprises to improve the quality-of-service and performance of Web applications including CRM, SCM, SFA, corporate portals, Web email access, and e-commerce applications. The Pivia Performance Server (PPS) is the only solution in the industry that is 'Application Smart' and accelerates LAN, WAN, Internet and Extranet applications - providing a complete solution for all users regardless of location. Pivia customers experience greater adoption of Web-enabled applications, reduced infrastructure costs, improved customer and partner satisfaction, and increased employee productivity. Pivia is located in Cupertino, California and has received funding from Sutler Hill Ventures and Thomas Weisel Venture Partners.

Copyright © 2004, Swan Labs Corporation | [Privacy Policy](#) | [Trademarks](#) | [Contact Us](#)

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☒ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.